

ARIZONA

2014 School Health Profiles Report Weighted Principal Survey Results

1. Percentage of schools that ever used the School Health Index or other self-assessment tool to assess school policies, activities, and programs in the following areas.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Physical activity	25.1	18.6 - 33.1	95	39.1	33.3 - 45.2	177	10.4	3.0 - 30.2	19	32.4	28.2 - 37.0	291
b. Nutrition	31.3	24.9 - 38.5	95	41.7	35.7 - 47.9	177	11.1	3.2 - 31.9	19	36.1	31.8 - 40.6	291
c. Tobacco-use prevention	27.0	21.1 - 33.8	96	34.5	29.0 - 40.6	177	5.4	1.0 - 25.0	19	30.0	26.1 - 34.3	292
d. Asthma	17.8	12.7 - 24.3	95	23.4	18.4 - 29.2	174	10.4	3.0 - 30.2	19	20.6	17.0 - 24.7	288
e. Injury and violence prevention	32.0	24.5 - 40.6	96	30.7	25.0 - 37.1	175	5.0	0.9 - 23.1	19	29.5	25.1 - 34.2	290
f. HIV, STD, and teen pregnancy prevention	26.8	21.0 - 33.6	97	20.3	15.8 - 25.7	175	5.4	1.0 - 25.0	19	21.6	18.1 - 25.5	291

ARIZONA

2014 School Health Profiles Report Weighted Principal Survey Results

2. Percentage of schools with a School Improvement Plan that includes health-related objectives on the following topics.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Health education	22.9	16.3 - 31.1	91	14.6	10.6 - 19.7	177	-	-	18	17.1	13.6 - 21.2	286
b. Physical education	19.6	14.1 - 26.5	91	16.9	12.5 - 22.5	177	-	-	18	17.8	14.3 - 21.9	286
c. Physical activity	18.6	12.6 - 26.7	91	19.5	14.8 - 25.3	178	-	-	18	18.7	15.0 - 23.0	287
d. School meal programs	30.1	23.5 - 37.7	92	15.1	11.2 - 20.2	177	-	-	18	19.2	15.9 - 23.1	287
e. Foods and beverages available at school outside the school meal programs	24.2	18.1 - 31.5	90	10.5	7.3 - 15.1	175	-	-	18	14.4	11.5 - 18.0	283
f. Health services	25.0	18.7 - 32.5	91	16.9	12.6 - 22.4	177	-	-	18	19.2	15.8 - 23.2	286
g. Mental health and social services	27.5	20.7 - 35.5	91	20.2	15.9 - 25.2	176	-	-	18	22.7	19.1 - 26.8	285
h. Healthy and safe school environment	50.6	42.7 - 58.4	93	45.2	39.2 - 51.4	176	-	-	18	46.2	41.6 - 50.9	287
i. Family and community involvement	55.0	47.0 - 62.8	93	55.4	49.0 - 61.7	177	-	-	18	54.2	49.4 - 58.9	288
j. Faculty and staff health promotion	21.8	16.7 - 27.9	91	16.0	12.1 - 20.7	176	-	-	18	17.2	14.2 - 20.7	285

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

ARIZONA

2014 School Health Profiles Report Weighted Principal Survey Results

3. Percentage of schools that reviewed health and safety data as part of school's improvement planning process.*

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
48.1	39.9 - 56.5	81	36.2	29.8 - 43.1	153	-	-	15	39.7	34.8 - 44.8	249

*Among schools that engaged in an improvement planning process during the past year.

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

ARIZONA

2014 School Health Profiles Report Weighted Principal Survey Results

4. Percentage of schools that currently have someone who oversees or coordinates school health and safety programs and activities.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
73.8	65.6 - 80.6	96	72.4	66.6 - 77.5	187	63.5	47.4 - 77.0	19	72.3	67.8 - 76.3	302

ARIZONA

2014 School Health Profiles Report Weighted Principal Survey Results

5. Percentage of schools that have one or more than one group (e.g., a school health council, committee, or team) that offers guidance on the development of policies or coordinates activities on health topics.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
33.0	25.2 - 41.8	97	41.0	34.9 - 47.5	187	-	-	18	37.8	33.0 - 42.8	302

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

ARIZONA

2014 School Health Profiles Report Weighted Principal Survey Results

6. Percentage of schools that have the following groups represented on any school health council, committee, or team.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. School administrators	100.0	†	30	83.7	75.1 - 89.8	74	-	-	4	89.1	83.0 - 93.2	108
b. Health education teachers	80.1	63.9 - 90.1	30	58.2	47.7 - 68.1	73	-	-	4	63.5	54.9 - 71.3	107
c. Physical education teachers	76.6	60.1 - 87.7	30	77.1	67.7 - 84.4	73	-	-	4	76.9	69.2 - 83.2	107
d. Other classroom teachers	76.4	61.1 - 87.0	29	76.9	67.4 - 84.3	70	-	-	4	77.7	70.0 - 83.8	103
e. Mental health or social services staff (e.g., school counselors)	75.7	60.2 - 86.5	29	52.5	42.9 - 61.9	74	-	-	4	59.2	51.2 - 66.7	107
f. Nutrition or food service staff	54.8	39.4 - 69.3	29	55.3	44.7 - 65.4	71	-	-	4	53.9	45.3 - 62.2	104
g. Health services staff (e.g., school nurse)	69.0	52.4 - 81.8	29	67.6	57.9 - 76.0	73	-	-	4	67.4	59.3 - 74.7	106
h. Maintenance and transportation staff	37.3	24.6 - 52.0	29	22.0	14.8 - 31.5	73	-	-	4	26.6	20.1 - 34.3	106
i. Technology staff	34.1	21.0 - 50.2	29	20.0	13.7 - 28.2	73	-	-	4	24.3	18.2 - 31.7	106
j. Library/media center staff	27.2	15.5 - 43.4	29	17.1	10.8 - 25.8	73	-	-	4	19.3	13.6 - 26.7	106
k. Student body	44.4	29.1 - 60.7	29	31.1	22.9 - 40.7	73	-	-	4	35.6	28.1 - 43.8	106
l. Parents or families of students	34.3	20.6 - 51.2	29	52.8	42.4 - 62.9	73	-	-	4	48.3	39.8 - 56.9	106

*Among schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

ARIZONA

2014 School Health Profiles Report Weighted Principal Survey Results

6. Percentage of schools that have the following groups represented on any school health council, committee, or team.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
m. Community members	33.7	21.0 - 49.2	29	30.0	21.2 - 40.4	72	-	-	4	31.8	24.5 - 40.2	105
n. Local health departments, agencies, or organizations	34.1	22.0 - 48.8	29	28.9	20.5 - 39.0	73	-	-	4	29.3	22.4 - 37.3	106
o. Faith-based organizations	16.8	8.2 - 31.6	29	0.0	†	73	-	-	4	4.9	2.3 - 9.9	106
p. Businesses	26.8	16.7 - 40.0	29	8.3	4.2 - 15.6	73	-	-	4	13.3	8.9 - 19.4	106
q. Local government agencies	34.0	21.9 - 48.7	29	7.9	4.0 - 15.2	73	-	-	4	15.2	10.4 - 21.7	106

*Among schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

ARIZONA

2014 School Health Profiles Report Weighted Principal Survey Results

7. Percentage of schools that have a school health council, committee, or team that did the following activities during the past year.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Identified student health needs based on a review of relevant data	76.3	63.6 - 85.6	30	60.6	51.5 - 69.0	74	-	-	4	63.9	56.7 - 70.5	108
b. Recommended new or revised health and safety policies and activities to school administrators or the school improvement team	79.5	64.4 - 89.3	30	63.0	53.4 - 71.7	74	-	-	4	67.5	59.7 - 74.4	108
c. Sought funding or leveraged resources to support health and safety priorities for students and staff	57.6	43.4 - 70.6	28	52.6	43.3 - 61.8	74	-	-	4	53.9	46.2 - 61.4	106
d. Communicated the importance of health and safety policies and activities to district administrators, school administrators, parent-teacher groups, or community members	79.4	64.9 - 88.9	29	85.6	77.1 - 91.3	74	-	-	4	83.5	76.5 - 88.7	107
e. Reviewed health-related curricula or instructional materials	76.1	61.8 - 86.2	29	55.7	46.1 - 64.8	74	-	-	4	59.4	51.5 - 66.9	107
f. Assessed the availability of physical activity opportunities for students	70.4	55.6 - 81.8	30	85.2	76.4 - 91.1	73	-	-	4	79.4	72.1 - 85.2	107

*Among schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

ARIZONA

2014 School Health Profiles Report Weighted Principal Survey Results

8. Percentage of schools that have any clubs that give students opportunities to learn about people different from them, such as students with disabilities, homeless youth, or people from different cultures.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
65.3	58.9 - 71.3	98	38.6	32.3 - 45.3	184	-	-	18	48.4	43.9 - 53.0	300

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

ARIZONA

2014 School Health Profiles Report Weighted Principal Survey Results

9. Percentage of schools that offer each of the following activities for students to learn about people different from them, such as students with disabilities, homeless youth, or people from different cultures.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Lessons in class	76.5	68.6 - 83.0	96	76.0	70.9 - 80.4	187	84.1	62.9 - 94.3	19	76.7	72.6 - 80.3	302
b. Special events sponsored by the school or community organizations (e.g., multicultural week, family night)	61.3	53.8 - 68.3	98	60.4	54.2 - 66.3	185	63.0	46.8 - 76.8	19	60.9	56.3 - 65.3	302

ARIZONA

2014 School Health Profiles Report Weighted Principal Survey Results

10. Percentage of schools that have adopted a policy that addresses each of the following issues on HIV infection or AIDS.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Attendance of students with HIV infection	53.5	45.2 - 61.6	95	44.3	38.1 - 50.8	183	26.5	13.9 - 44.7	19	46.3	41.5 - 51.1	297
b. Procedures to protect HIV-infected students and staff from discrimination	57.7	49.7 - 65.3	95	47.7	41.5 - 54.1	183	37.0	21.5 - 55.6	19	50.4	45.7 - 55.1	297
c. Maintaining confidentiality of HIV-infected students and staff	61.3	53.8 - 68.3	96	54.5	48.1 - 60.8	184	37.0	20.0 - 57.9	19	55.7	50.9 - 60.3	299

ARIZONA

2014 School Health Profiles Report Weighted Principal Survey Results

11. Percentage of schools that have a student-led club that aims to create a safe, welcoming, and accepting school environment for all youth, regardless of sexual orientation or gender identity.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
44.3	37.2 - 51.7	96	10.1	7.1 - 14.1	181	21.3	9.9 - 40.2	19	22.5	19.3 - 26.1	296

ARIZONA

2014 School Health Profiles Report Weighted Principal Survey Results

12. Percentage of schools that engage in the following practices related to lesbian, gay, bisexual, transgender, or questioning (LGBTQ) youth.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Identify "safe spaces" (e.g., a counselor's office, designated classroom, or student organization) where LGBTQ youth can receive support from administrators, teachers, or other school staff	62.2	54.7 - 69.3	98	32.6	26.9 - 38.9	187	58.5	36.7 - 77.4	19	44.3	39.8 - 48.9	304
b. Prohibit harassment based on a student's perceived or actual sexual orientation or gender identity	91.1	85.6 - 94.7	100	73.3	67.3 - 78.6	187	100.0	†	19	81.1	77.1 - 84.6	306
c. Encourage staff to attend professional development on safe and supportive school environments for all students, regardless of sexual orientation or gender identity	70.0	61.9 - 76.9	100	34.4	28.5 - 40.7	186	53.1	30.8 - 74.2	19	47.8	43.1 - 52.5	305
d. Facilitate access to providers not on school property who have experience in providing health services, including HIV/STD testing and counseling, to LGBTQ youth	53.2	45.9 - 60.5	99	22.9	18.1 - 28.6	186	37.0	21.5 - 55.6	19	34.2	30.2 - 38.5	304
e. Facilitate access to providers not on school property who have experience in providing social and psychological services to LGBTQ youth	60.9	53.3 - 68.0	98	26.8	21.9 - 32.3	186	36.7	21.3 - 55.4	19	39.0	35.0 - 43.2	303

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

ARIZONA

2014 School Health Profiles Report Weighted Principal Survey Results

13. Percentage of schools in which staff received professional development on preventing, identifying, and responding to student bullying and sexual harassment, including electronic aggression.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
81.8	74.7 - 87.3	100	89.1	84.3 - 92.5	187	90.0	71.1 - 97.1	19	86.6	83.0 - 89.6	306

ARIZONA

2014 School Health Profiles Report Weighted Principal Survey Results

14. Percentage of schools that have a designated staff member to whom students can confidentially report student bullying and sexual harassment, including electronic aggression.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
94.8	90.9 - 97.0	99	92.2	88.2 - 94.9	185	100.0	†	19	93.6	91.0 - 95.5	303

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

ARIZONA

2014 School Health Profiles Report Weighted Principal Survey Results

15. Percentage of schools that use electronic, paper, or oral communication to publicize and disseminate policies, rules, or regulations on bullying and sexual harassment, including electronic aggression.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
87.5	80.3 - 92.4	99	89.4	85.1 - 92.5	185	89.3	69.2 - 96.9	19	88.7	85.3 - 91.5	303

ARIZONA

2014 School Health Profiles Report Weighted Principal Survey Results

16. Percentage of schools that taught a required physical education course in each of the following grades.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Sixth grade	§	§	§	80.5	75.1 - 85.0	160	-	-	13	81.5	76.3 - 85.7	173
b. Seventh grade	§	§	§	75.7	70.6 - 80.2	182	68.3	52.1 - 81.0	19	75.0	70.1 - 79.3	201
c. Eighth grade	§	§	§	75.1	69.8 - 79.8	173	62.8	50.6 - 73.6	19	73.8	69.0 - 78.2	192
d. Ninth grade	71.7	63.5 - 78.7	73	-	-	2	68.0	48.7 - 82.6	19	71.5	64.1 - 78.0	94
e. Tenth grade	27.3	19.6 - 36.6	88	§	§	§	-	-	18	27.4	20.3 - 35.9	106
f. Eleventh grade	21.8	15.5 - 29.7	96	§	§	§	-	-	15	19.8	14.3 - 26.9	111
g. Twelfth grade	21.9	15.7 - 29.7	96	§	§	§	-	-	13	20.3	14.6 - 27.4	109

*Among schools with students in that grade.

- Results are suppressed due to insufficient number of respondents in subgroup.

§ Grade is not applicable for type of school.

N = Unweighted number of observations

ARIZONA

2014 School Health Profiles Report Weighted Principal Survey Results

17. Percentage of schools in which physical education teachers or specialists received professional development on physical education or physical activity during the past year.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
47.9	40.4 - 55.4	94	65.6	59.5 - 71.3	179	47.9	33.1 - 63.0	19	58.4	53.9 - 62.8	292

ARIZONA

2014 School Health Profiles Report Weighted Principal Survey Results

18. Percentage of schools that provide those who teach physical education with the following materials.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Goals, objectives, and expected outcomes for physical education	72.8	65.0 - 79.4	92	87.4	82.8 - 90.9	187	73.5	53.0 - 87.2	19	81.8	77.9 - 85.1	298
b. A chart describing the annual scope and sequence of instruction for physical education	59.9	51.4 - 67.9	93	69.9	64.2 - 75.1	187	32.4	17.5 - 52.1	19	64.2	59.7 - 68.5	299
c. Plans for how to assess student performance in physical education	64.3	55.2 - 72.4	93	76.4	70.9 - 81.2	187	43.1	23.9 - 64.7	19	70.3	65.7 - 74.6	299
d. A written physical education curriculum	64.3	55.8 - 72.1	93	72.3	66.8 - 77.2	186	48.6	34.3 - 63.0	19	68.1	63.7 - 72.2	298
e. Resources for fitness testing	63.5	55.8 - 70.5	93	80.0	74.7 - 84.4	186	48.1	30.1 - 66.7	19	72.5	68.3 - 76.3	298
f. Physical activity monitoring devices, such as pedometers or heart rate monitors, for physical education	48.7	41.3 - 56.2	92	47.5	41.4 - 53.8	187	15.9	5.7 - 37.1	19	45.9	41.3 - 50.5	298

ARIZONA

2014 School Health Profiles Report Weighted Principal Survey Results

19. Percentage of schools in which students participate in physical activity breaks in classrooms during the school day outside of physical education.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
22.2	16.6 - 29.0	100	79.9	75.4 - 83.7	188	63.0	42.6 - 79.7	19	59.1	55.6 - 62.5	307

ARIZONA

2014 School Health Profiles Report Weighted Principal Survey Results

20. Percentage of schools that offer opportunities for all students to participate in intramural sports programs or physical activity clubs.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
53.8	46.4 - 61.1	98	72.3	66.6 - 77.3	188	68.2	44.5 - 85.2	19	65.8	61.4 - 70.0	305

ARIZONA

2014 School Health Profiles Report Weighted Principal Survey Results

21. Percentage of schools that offer interscholastic sports to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
66.2	58.7 - 73.0	99	84.3	79.3 - 88.3	187	73.2	49.9 - 88.2	19	77.5	73.4 - 81.1	305

ARIZONA

2014 School Health Profiles Report Weighted Principal Survey Results

22. Percentage of schools that offer opportunities for students to participate in physical activity before the school day through organized physical activities or access to facilities or equipment for physical activity.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
44.0	36.4 - 51.8	100	61.1	55.3 - 66.7	188	5.7	1.0 - 25.9	19	51.8	47.4 - 56.1	307

ARIZONA

2014 School Health Profiles Report Weighted Principal Survey Results

23. Percentage of schools that prohibit staff from excluding students from physical education or physical activity to punish them for bad behavior or failure to complete class work in another class.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
46.9	39.6 - 54.3	98	56.9	50.7 - 62.8	188	52.4	31.6 - 72.3	19	53.2	48.6 - 57.8	305

ARIZONA

2014 School Health Profiles Report Weighted Principal Survey Results

24. Percentage of schools that have a joint use agreement for shared use of school or community physical activity facilities.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
51.5	43.1 - 59.7	100	60.2	54.5 - 65.6	186	42.4	23.5 - 63.9	19	56.1	51.4 - 60.6	305

ARIZONA

2014 School Health Profiles Report Weighted Principal Survey Results

25. Percentage of schools that have adopted a policy prohibiting tobacco use.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
95.8	90.6 - 98.2	100	94.1	90.7 - 96.3	188	100.0	†	19	95.1	92.6 - 96.7	307

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

ARIZONA

2014 School Health Profiles Report Weighted Principal Survey Results

26. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for students during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Cigarettes	95.6	90.2 - 98.1	96	93.4	89.7 - 95.8	182	100.0	†	18	94.6	92.0 - 96.4	296
b. Smokeless tobacco (i.e., chewing tobacco, snuff, or dip)	94.6	88.8 - 97.4	96	93.4	89.7 - 95.8	182	88.1	67.6 - 96.4	17	93.5	90.7 - 95.5	295
c. Cigars	92.4	87.3 - 95.6	96	91.6	87.5 - 94.5	182	82.6	61.0 - 93.5	17	91.4	88.3 - 93.7	295
d. Pipes	92.4	87.3 - 95.6	96	91.6	87.5 - 94.5	182	82.6	61.0 - 93.5	17	91.4	88.3 - 93.7	295

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

ARIZONA

2014 School Health Profiles Report Weighted Principal Survey Results

26. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for faculty/staff during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Cigarettes	94.5	88.7 - 97.4	95	92.7	88.9 - 95.3	181	100.0	†	18	93.8	91.0 - 95.8	294
b. Smokeless tobacco (i.e., chewing tobacco, snuff, or dip)	92.3	85.9 - 96.0	95	92.7	88.9 - 95.3	181	83.5	62.9 - 93.8	18	92.0	88.9 - 94.3	294
c. Cigars	91.2	85.7 - 94.8	95	90.9	86.6 - 94.0	181	82.6	61.0 - 93.5	17	90.6	87.3 - 93.0	293
d. Pipes	91.2	85.7 - 94.8	95	90.9	86.6 - 94.0	181	82.6	61.0 - 93.5	17	90.6	87.3 - 93.0	293

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

ARIZONA

2014 School Health Profiles Report Weighted Principal Survey Results

26. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for visitors during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Cigarettes	94.5	88.7 - 97.4	95	91.0	86.8 - 94.0	181	94.3	73.9 - 99.0	18	92.4	89.3 - 94.6	294
b. Smokeless tobacco (i.e., chewing tobacco, snuff, or dip)	91.2	84.6 - 95.2	95	90.5	86.1 - 93.6	181	77.8	55.8 - 90.7	18	89.9	86.5 - 92.6	294
c. Cigars	90.0	84.0 - 94.0	94	89.8	85.3 - 93.1	181	76.6	53.6 - 90.3	17	89.1	85.7 - 91.8	292
d. Pipes	90.1	84.2 - 94.0	95	89.8	85.3 - 93.1	181	76.6	53.6 - 90.3	17	89.2	85.7 - 91.8	293

ARIZONA

2014 School Health Profiles Report Weighted Principal Survey Results

27. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	95.6	90.2 - 98.1	96	93.4	89.7 - 95.8	182	100.0	†	17	94.6	91.9 - 96.4	295
b. During non-school hours	84.2	77.0 - 89.5	96	85.1	80.8 - 88.5	181	64.5	38.2 - 84.2	17	83.6	79.8 - 86.7	294

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

ARIZONA

2014 School Health Profiles Report Weighted Principal Survey Results

27. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	94.6	88.9 - 97.5	96	92.9	89.1 - 95.4	182	100.0	†	17	93.9	91.1 - 95.8	295
b. During non-school hours	79.1	71.4 - 85.2	96	77.4	72.2 - 81.9	181	64.5	38.2 - 84.2	17	77.2	73.0 - 81.0	294

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

ARIZONA

2014 School Health Profiles Report Weighted Principal Survey Results

27. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	94.5	88.8 - 97.4	95	89.4	85.1 - 92.6	184	94.0	72.6 - 98.9	17	91.4	88.3 - 93.7	296
b. During non-school hours	79.1	71.2 - 85.2	96	75.7	70.7 - 80.1	181	64.5	38.2 - 84.2	17	76.2	72.0 - 79.9	294

ARIZONA

2014 School Health Profiles Report Weighted Principal Survey Results

28. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. In school buildings	95.6	90.2 - 98.1	96	93.5	89.8 - 95.9	182	100.0	†	18	94.6	92.0 - 96.4	296
b. Outside on school grounds, including parking lots and playing fields	95.6	90.2 - 98.1	96	93.3	89.6 - 95.8	182	100.0	†	18	94.5	91.9 - 96.3	296
c. On school buses or other vehicles used to transport students	95.6	90.1 - 98.1	95	92.8	89.0 - 95.4	182	100.0	†	18	94.2	91.5 - 96.1	295
d. At off-campus, school-sponsored events	94.7	89.1 - 97.5	96	90.5	86.1 - 93.6	181	100.0	†	18	92.5	89.5 - 94.7	295

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

ARIZONA

2014 School Health Profiles Report Weighted Principal Survey Results

28. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. In school buildings	95.6	90.2 - 98.1	96	93.4	89.8 - 95.8	181	100.0	†	18	94.6	92.0 - 96.4	295
b. Outside on school grounds, including parking lots and playing fields	92.4	86.0 - 96.0	96	92.6	88.7 - 95.3	180	100.0	†	18	93.0	90.0 - 95.1	294
c. On school buses or other vehicles used to transport students	95.6	90.1 - 98.1	95	92.7	88.8 - 95.3	179	94.8	75.8 - 99.1	18	93.8	91.1 - 95.8	292
d. At off-campus, school-sponsored events	93.7	87.9 - 96.9	96	87.6	82.7 - 91.3	178	88.3	66.5 - 96.7	17	89.8	86.3 - 92.4	291

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

ARIZONA

2014 School Health Profiles Report Weighted Principal Survey Results

28. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. In school buildings	95.6	90.2 - 98.1	96	92.2	88.2 - 94.9	180	94.3	73.9 - 99.0	18	93.5	90.7 - 95.5	294
b. Outside on school grounds, including parking lots and playing fields	92.4	86.0 - 96.0	96	90.5	86.1 - 93.6	180	94.3	73.9 - 99.0	18	91.4	88.1 - 93.8	294
c. On school buses or other vehicles used to transport students	93.5	87.4 - 96.7	95	92.2	88.2 - 94.9	180	88.4	67.5 - 96.5	17	92.4	89.4 - 94.6	292
d. At off-campus, school-sponsored events	80.8	72.8 - 86.9	95	77.9	72.3 - 82.6	178	64.0	43.8 - 80.2	17	78.1	73.7 - 81.8	290

ARIZONA

2014 School Health Profiles Report Weighted Principal Survey Results

28N. Percentage of schools that follow a policy that mandates a "tobacco-free environment." A "tobacco-free environment" is one that prohibits tobacco use by students, staff, and visitors in school buildings, at school functions, in school vehicles, on school grounds, and at off-site school events, applicable 24 hours a day and seven days a week.*

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
57.1	48.5 - 65.3	94	61.3	55.4 - 66.8	178	31.4	14.3 - 55.5	16	58.2	53.4 - 62.8	288

*Responses to question 26 (a, b, c, and d), question 27 (a and b), and question 28 (a, b, c, and d) are all "yes."
N = Unweighted number of observations

ARIZONA

2014 School Health Profiles Report Weighted Principal Survey Results

29. Percentage of schools that post signs marking a tobacco-free school zone, that is, a specified distance from school grounds where tobacco use is not allowed.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
84.4	77.2 - 89.7	97	81.7	76.0 - 86.3	183	73.7	53.4 - 87.3	19	82.1	77.9 - 85.7	299

ARIZONA

2014 School Health Profiles Report Weighted Principal Survey Results

30. Percentage of schools that provide tobacco cessation services for each of the following groups.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Faculty and staff	21.9	15.7 - 29.7	100	20.1	15.5 - 25.6	188	5.4	1.0 - 25.0	19	19.8	16.2 - 23.9	307
b. Students	21.1	15.0 - 28.7	100	11.2	7.7 - 15.9	187	5.4	1.0 - 25.0	19	14.2	11.1 - 18.0	306

ARIZONA

2014 School Health Profiles Report Weighted Principal Survey Results

31. Percentage of schools that have arrangements with any organizations or health care professionals not on school property to provide tobacco cessation services for each of the following groups.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Faculty and staff	30.4	23.4 - 38.4	98	27.4	22.1 - 33.4	188	5.4	1.0 - 25.0	19	27.0	22.9 - 31.5	305
b. Students	27.9	21.1 - 35.8	100	14.8	10.8 - 19.9	187	0.0	†	19	18.4	14.9 - 22.3	306

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

ARIZONA

2014 School Health Profiles Report Weighted Principal Survey Results

32. Percentage of schools that never, rarely, sometimes, or always or almost always offer fruit or non-fried vegetables at school celebrations when foods or beverages are offered.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Foods or beverages are not offered at school celebrations	14.5	9.6 - 21.5	97	9.0	6.2 - 13.0	188	5.4	1.0 - 25.0	19	10.6	8.1 - 13.9	304
b. Never	1.0	0.2 - 5.3	97	1.5	0.6 - 4.0	188	0.0	†	19	1.3	0.5 - 2.9	304
c. Rarely	4.0	1.7 - 8.9	97	11.7	8.2 - 16.6	188	10.0	2.9 - 28.9	19	9.0	6.5 - 12.3	304
d. Sometimes	47.4	39.2 - 55.7	97	48.0	41.3 - 54.7	188	48.6	31.8 - 65.6	19	47.8	42.8 - 52.9	304
e. Always or almost always	33.1	26.0 - 41.0	97	29.8	24.5 - 35.6	188	36.0	19.7 - 56.4	19	31.3	27.1 - 35.8	304

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

ARIZONA

2014 School Health Profiles Report Weighted Principal Survey Results

33. Percentage of schools in which students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
72.6	65.1 - 79.1	99	38.7	33.4 - 44.4	188	41.5	22.7 - 63.1	19	50.4	46.2 - 54.7	306

ARIZONA

2014 School Health Profiles Report Weighted Principal Survey Results

34. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Chocolate candy	34.7	27.0 - 43.3	98	7.5	5.1 - 10.9	186	16.1	5.8 - 37.6	19	17.3	14.1 - 21.0	303
b. Other kinds of candy	41.4	33.7 - 49.5	99	9.1	6.1 - 13.2	186	21.1	8.5 - 43.4	19	20.9	17.5 - 24.7	304
c. Salty snacks that are not low in fat (e.g., regular potato chips)	43.4	35.0 - 52.1	99	15.8	12.0 - 20.5	186	21.1	8.5 - 43.4	19	25.6	21.7 - 29.8	304
d. Low sodium or “no added salt” pretzels, crackers, or chips	56.5	47.7 - 65.0	99	30.7	25.5 - 36.5	184	36.0	19.5 - 56.6	19	39.9	35.4 - 44.6	302
e. Cookies, crackers, cakes, pastries, or other baked goods that are not low in fat	43.6	36.2 - 51.4	98	16.2	12.4 - 20.9	185	21.1	8.5 - 43.4	19	25.9	22.3 - 29.9	302
f. Ice cream or frozen yogurt that is not low in fat	18.3	12.9 - 25.4	98	6.8	4.3 - 10.7	186	5.7	1.0 - 25.9	19	10.6	8.1 - 13.9	303
g. 2% or whole milk (plain or flavored)	24.3	18.9 - 30.6	98	13.6	10.2 - 17.9	186	10.7	3.1 - 30.8	19	17.0	14.1 - 20.4	303
h. Nonfat or 1% (low-fat) milk (plain)	36.7	29.5 - 44.5	98	15.3	11.7 - 19.7	186	10.7	3.1 - 30.8	19	22.3	18.9 - 26.0	303
i. Water ices or frozen slushes that do not contain juice	6.1	3.1 - 11.8	98	10.0	7.1 - 13.9	186	0.0	†	19	8.0	5.9 - 10.8	303
j. Soda pop or fruit drinks that are not 100% juice	31.3	24.2 - 39.4	99	8.7	5.8 - 12.7	186	10.4	3.0 - 30.2	19	16.5	13.4 - 20.2	304
k. Sports drinks (e.g., Gatorade)	53.4	45.5 - 61.2	99	24.4	19.9 - 29.6	185	30.3	16.4 - 49.2	19	34.7	30.8 - 38.9	303

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

ARIZONA

2014 School Health Profiles Report Weighted Principal Survey Results

34. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
l. Energy drinks (e.g., Red Bull, Monster)	1.1	0.2 - 5.5	98	1.1	0.4 - 3.7	186	0.0	†	18	1.0	0.4 - 2.7	302
m. Bottled water	70.5	62.5 - 77.4	98	33.1	28.0 - 38.6	185	36.5	19.7 - 57.4	19	46.0	41.8 - 50.3	302
n. 100% fruit or vegetable juice	50.5	43.2 - 57.8	97	21.0	16.7 - 26.1	185	25.4	13.5 - 42.6	19	31.3	27.5 - 35.3	301
o. Foods or beverages containing caffeine	27.4	21.1 - 34.7	98	7.0	4.7 - 10.3	185	5.8	1.0 - 26.3	18	13.9	11.2 - 17.1	301
p. Fruits (not fruit juice)	39.5	31.8 - 47.9	98	13.8	10.5 - 18.0	186	10.0	2.9 - 28.9	19	22.3	18.9 - 26.1	303
q. Non-fried vegetables (not vegetable juice)	29.2	21.9 - 37.8	99	10.7	7.9 - 14.4	186	0.0	†	19	16.4	13.3 - 20.0	304

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

ARIZONA

2014 School Health Profiles Report Weighted Principal Survey Results

35. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Priced nutritious foods and beverages at a lower cost while increasing the price of less nutritious foods and beverages	15.9	10.3 - 23.6	100	7.0	4.6 - 10.6	186	10.7	3.1 - 30.8	19	10.3	7.7 - 13.7	305
b. Collected suggestions from students, families, and school staff on nutritious food preferences and strategies to promote healthy eating	43.8	37.3 - 50.6	100	37.8	32.2 - 43.7	184	52.4	30.5 - 73.3	19	40.8	36.5 - 45.3	303
c. Provided information to students or families on the nutrition and caloric content of foods available	41.9	34.0 - 50.2	100	49.1	43.0 - 55.2	185	21.6	8.7 - 44.2	19	44.8	40.2 - 49.6	304
d. Conducted taste tests to determine food preferences for nutritious items	21.7	15.8 - 29.0	100	20.1	15.7 - 25.4	185	-	-	18	20.1	16.6 - 24.1	303
e. Provided opportunities for students to visit the cafeteria to learn about food safety, food preparation, or other nutrition-related topics	24.8	18.0 - 33.0	100	23.1	18.2 - 28.7	185	16.8	6.1 - 38.8	19	23.3	19.4 - 27.7	304
f. Served locally or regionally grown foods in the cafeteria or classrooms	23.2	17.4 - 30.1	100	30.8	25.5 - 36.7	184	10.4	3.0 - 30.2	19	26.9	23.0 - 31.1	303
g. Planted a school food or vegetable garden	35.2	28.7 - 42.3	100	32.5	27.3 - 38.3	186	26.8	11.8 - 50.1	19	33.1	29.0 - 37.4	305
h. Placed fruits and vegetables near the cafeteria cashier, where they are easy to access	61.6	54.8 - 68.0	100	64.5	58.4 - 70.2	187	47.6	33.5 - 62.2	19	62.4	58.1 - 66.6	306

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

ARIZONA

2014 School Health Profiles Report Weighted Principal Survey Results

35. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
i. Used attractive displays for fruits and vegetables in the cafeteria	49.7	42.0 - 57.4	100	60.4	53.9 - 66.5	187	16.1	5.8 - 37.6	19	53.9	49.2 - 58.6	306
j. Offered a self-serve salad bar to students	34.7	27.6 - 42.7	100	56.3	50.4 - 62.0	186	27.0	13.0 - 47.9	19	47.0	42.5 - 51.5	305
k. Labeled healthful foods with appealing names (e.g., crunchy carrots)	25.9	20.0 - 32.9	99	23.2	18.3 - 29.0	185	0.0	†	19	22.7	19.0 - 26.8	303
l. Encouraged students to drink plain water	68.8	60.3 - 76.1	100	76.3	70.4 - 81.4	184	-	-	18	72.5	67.7 - 76.7	302
m. Prohibited school staff from giving students food or food coupons as a reward for good behavior or good academic performance	26.9	21.0 - 33.8	100	25.9	21.2 - 31.2	186	36.7	21.9 - 54.6	19	26.9	23.3 - 31.0	305
n. Prohibited less nutritious foods and beverages (e.g., candy, baked goods) from being sold for fundraising purposes	31.5	23.9 - 40.2	98	31.1	25.9 - 36.8	187	15.6	5.7 - 36.5	19	30.2	26.0 - 34.8	304

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

ARIZONA

2014 School Health Profiles Report Weighted Principal Survey Results

36. Percentage of schools that prohibit advertisements for candy, fast food restaurants, or soft drinks in the following locations.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. In the school building	68.2	59.5 - 75.8	98	70.7	64.3 - 76.5	187	74.2	51.3 - 88.7	19	70.1	65.1 - 74.6	304
b. On school grounds including on the outside of the school building, on playing fields, or other areas of the campus	61.5	52.6 - 69.7	99	72.1	65.7 - 77.8	187	64.2	48.1 - 77.7	19	68.0	63.1 - 72.6	305
c. On school buses or other vehicles used to transport students	70.5	62.0 - 77.8	99	73.3	66.8 - 78.9	187	68.7	47.4 - 84.3	19	72.1	67.1 - 76.5	305
d. In school publications (e.g., newsletters, newspapers, web sites, or other school publications)	69.5	61.6 - 76.3	99	68.8	62.2 - 74.7	188	68.7	45.0 - 85.5	19	69.0	64.1 - 73.5	306
e. In curricula or other educational materials (including assignment books, school supplies, book covers, and electronic media)	68.4	60.3 - 75.5	99	67.6	61.4 - 73.2	188	74.2	51.3 - 88.7	19	68.3	63.5 - 72.6	306

ARIZONA

2014 School Health Profiles Report Weighted Principal Survey Results

37. Percentage of schools that permit students to have a drinking water bottle with them during the school day.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	
a. Yes, in all locations	85.3	78.3 - 90.3	97	92.3	88.3 - 94.9	186	-	-	17	90.0	86.7 - 92.5	300
b. Yes, in certain locations	8.4	5.0 - 13.7	97	6.8	4.2 - 10.9	186	-	-	17	7.3	5.2 - 10.3	300
c. No	6.3	3.2 - 12.1	97	1.0	0.3 - 3.0	186	-	-	17	2.7	1.5 - 4.8	300

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

ARIZONA

2014 School Health Profiles Report Weighted Principal Survey Results

37N. Percentage of schools that permit students to have a drinking water bottle with them in either all locations or certain locations during the school day.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
93.7	87.9 - 96.8	97	99.0	97.0 - 99.7	186	-	-	17	97.3	95.2 - 98.5	300

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

ARIZONA

2014 School Health Profiles Report Weighted Principal Survey Results

38. Percentage of schools that offer a free source of drinking water in the following locations.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Cafeteria during breakfast	89.2	81.2 - 94.0	74	95.4	91.8 - 97.5	170	-	-	9	92.4	89.0 - 94.8	253
b. Cafeteria during lunch	89.6	81.9 - 94.2	77	96.3	93.2 - 98.0	181	-	-	14	93.4	90.3 - 95.5	272
c. Gymnasium or other indoor physical activity facilities	92.8	85.5 - 96.6	70	98.9	98.8 - 98.9	177	-	-	17	96.5	94.3 - 97.9	264
d. Outdoor physical activity facilities and sports fields	96.0	89.9 - 98.5	74	94.0	90.1 - 96.4	187	-	-	15	93.7	90.7 - 95.8	276
e. Hallways throughout the school	95.9	90.8 - 98.2	97	96.6	93.3 - 98.3	176	-	-	17	96.5	94.2 - 98.0	290

*Among schools with that location.

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

ARIZONA

2014 School Health Profiles Report Weighted Principal Survey Results

39. Percentage of schools that have a full-time registered nurse who provides health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
42.6	37.4 - 48.1	98	48.0	42.7 - 53.4	186	10.7	3.1 - 30.8	19	43.8	40.1 - 47.6	303

ARIZONA

2014 School Health Profiles Report Weighted Principal Survey Results

40. Percentage of schools that provide the following services to students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. HIV testing	0.9	0.2 - 4.7	100	0.6	0.1 - 3.1	188	0.0	†	19	0.7	0.2 - 2.2	307
b. HIV treatment	0.0	†	100	0.6	0.1 - 3.1	188	0.0	†	19	0.4	0.1 - 1.9	307
c. STD testing	2.0	0.6 - 6.2	100	0.6	0.1 - 3.1	188	0.0	†	19	1.0	0.4 - 2.7	307
d. STD treatment	2.0	0.6 - 6.2	100	0.6	0.1 - 3.1	188	0.0	†	19	1.0	0.4 - 2.7	307
e. Pregnancy testing	3.1	1.2 - 7.9	100	1.1	0.3 - 3.6	188	0.0	†	19	1.7	0.8 - 3.6	307
f. Provision of condoms	6.1	3.1 - 11.9	100	0.6	0.1 - 3.1	188	0.0	†	19	2.5	1.3 - 4.6	307
g. Provision of condom-compatible lubricants (i.e., water- or silicone-based)	1.0	0.2 - 5.3	100	0.6	0.1 - 3.1	188	0.0	†	19	0.7	0.2 - 2.3	307
h. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	0.0	†	100	0.6	0.1 - 3.1	188	0.0	†	19	0.4	0.1 - 1.9	307
i. Prenatal care	5.0	2.4 - 10.4	100	0.6	0.1 - 3.1	188	0.0	†	19	2.1	1.1 - 4.1	307
j. Human papillomavirus (HPV) vaccine administration	1.0	0.2 - 5.3	100	0.6	0.1 - 3.1	188	0.0	†	19	0.7	0.2 - 2.3	307

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

ARIZONA

2014 School Health Profiles Report Weighted Principal Survey Results

41. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. HIV testing	45.1	36.5 - 54.0	98	18.3	14.2 - 23.2	187	5.0	0.9 - 23.1	19	26.5	22.7 - 30.8	304
b. HIV treatment	44.0	35.3 - 53.1	98	17.2	13.2 - 22.1	187	5.0	0.9 - 23.1	19	25.5	21.7 - 29.8	304
c. STD testing	50.2	41.5 - 58.8	98	19.8	15.5 - 24.9	187	5.0	0.9 - 23.1	19	29.2	25.2 - 33.4	304
d. STD treatment	49.7	40.9 - 58.5	97	19.3	15.1 - 24.3	187	5.0	0.9 - 23.1	19	28.6	24.7 - 32.9	303
e. Pregnancy testing	51.4	42.6 - 60.1	98	19.7	15.5 - 24.8	187	10.0	2.9 - 28.9	19	29.8	25.8 - 34.1	304
f. Provision of condoms	33.9	26.3 - 42.5	98	11.7	8.4 - 16.1	187	5.0	0.9 - 23.1	19	18.8	15.5 - 22.7	304
g. Provision of condom-compatible lubricants (i.e., water- or silicone-based)	30.9	23.2 - 39.9	98	11.7	8.4 - 16.1	187	5.0	0.9 - 23.1	19	17.8	14.4 - 21.8	304
h. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	31.9	24.3 - 40.7	98	10.2	7.2 - 14.3	185	5.0	0.9 - 23.1	19	17.3	14.0 - 21.1	302
i. Prenatal care	48.3	38.8 - 57.9	98	16.2	12.3 - 20.9	186	5.0	0.9 - 23.1	19	26.4	22.4 - 30.8	303
j. Human papillomavirus (HPV) vaccine administration	41.1	32.4 - 50.4	98	15.6	12.1 - 19.9	186	5.0	0.9 - 23.1	19	23.6	19.9 - 27.7	303

ARIZONA

2014 School Health Profiles Report Weighted Principal Survey Results

42. Percentage of schools that have a protocol that ensures students with a chronic condition that may require daily or emergency management (e.g., asthma, diabetes, food allergies) are enrolled in private, state, or federally funded insurance programs if eligible.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
57.6	49.0 - 65.8	97	55.4	49.0 - 61.6	179	-	-	17	55.4	50.3 - 60.3	293

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

ARIZONA

2014 School Health Profiles Report Weighted Principal Survey Results

43. Percentage of schools that routinely use school records to identify and track students with a current diagnosis of the following chronic conditions.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Asthma	89.9	84.1 - 93.8	100	96.5	93.2 - 98.2	187	88.9	68.1 - 96.8	19	93.8	91.0 - 95.7	306
b. Food allergies	87.8	83.2 - 91.4	100	96.6	93.3 - 98.3	187	88.9	68.1 - 96.8	19	93.1	90.7 - 94.9	306
c. Diabetes	87.8	82.3 - 91.8	100	95.4	91.8 - 97.5	187	88.9	68.1 - 96.8	19	92.4	89.6 - 94.5	306
d. Epilepsy or seizure disorder	88.9	83.7 - 92.6	100	95.3	91.7 - 97.4	187	88.9	68.1 - 96.8	19	92.7	89.9 - 94.7	306
e. Obesity	42.0	34.0 - 50.5	99	38.0	32.4 - 43.9	186	15.4	8.3 - 26.7	19	37.9	33.5 - 42.6	304
f. Hypertension/high blood pressure	67.3	59.2 - 74.6	99	70.0	63.8 - 75.5	187	46.9	32.5 - 61.9	19	67.6	63.0 - 71.9	305

ARIZONA

2014 School Health Profiles Report Weighted Principal Survey Results

44. Percentage of schools that provide referrals to any organizations or health care professionals not on school property for students diagnosed with or suspected to have the following chronic conditions.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Asthma	44.8	36.5 - 53.4	98	47.3	41.5 - 53.1	187	15.4	5.5 - 36.1	19	44.4	39.9 - 49.0	304
b. Food allergies	42.7	34.5 - 51.4	98	44.3	38.7 - 50.1	187	20.8	8.4 - 42.9	19	42.3	37.8 - 46.9	304
c. Diabetes	44.7	36.1 - 53.6	98	47.8	41.8 - 53.8	187	15.4	5.5 - 36.1	19	44.7	40.0 - 49.5	304
d. Epilepsy or seizure disorder	43.8	35.3 - 52.6	98	44.9	39.1 - 50.9	186	15.4	5.5 - 36.1	19	42.6	38.0 - 47.4	303
e. Obesity	36.7	28.9 - 45.2	98	35.5	30.3 - 41.1	187	15.4	5.5 - 36.1	19	34.6	30.4 - 39.1	304
f. Hypertension/high blood pressure	41.8	33.4 - 50.7	98	40.9	35.2 - 46.9	187	15.4	5.5 - 36.1	19	39.6	35.0 - 44.4	304

ARIZONA

2014 School Health Profiles Report Weighted Principal Survey Results

45. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Provided parents and families with information about how to communicate with their child about sex	17.0	11.2 - 24.9	100	15.8	12.0 - 20.6	188	20.4	10.7 - 35.2	19	16.5	13.2 - 20.4	307
b. Provided parents with information about how to monitor their child (e.g., setting parental expectations, keeping track of their child, responding when their child breaks the rules)	52.0	43.2 - 60.7	100	55.2	49.1 - 61.1	188	42.4	25.0 - 62.0	19	53.3	48.4 - 58.1	307
c. Involved parents as school volunteers in the delivery of health education activities and services	16.2	11.2 - 22.9	100	28.6	23.2 - 34.7	187	26.3	12.7 - 46.6	19	24.2	20.3 - 28.5	306
d. Linked parents and families to health services and programs in the community	64.7	55.3 - 73.1	100	63.6	57.7 - 69.1	188	53.1	34.1 - 71.3	19	63.3	58.4 - 67.9	307

ARIZONA

2014 School Health Profiles Report Weighted Principal Survey Results

46. Percentage of schools that use electronic, paper, or oral communication to inform parents about school health services and programs.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
61.8	53.4 - 69.5	99	77.9	72.2 - 82.7	188	57.3	32.7 - 78.8	19	71.1	66.4 - 75.4	306

ARIZONA

2014 School Health Profiles Report Weighted Principal Survey Results

47. Percentage of schools that participate in a program in which family or community members serve as role models to students or mentor students, such as the Big Brothers Big Sisters program.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
29.2	22.5 - 37.0	99	20.5	16.3 - 25.4	188	5.4	1.0 - 25.0	19	22.5	19.0 - 26.4	306

ARIZONA

2014 School Health Profiles Report Weighted Principal Survey Results

48. Percentage of schools that provide service-learning opportunities for students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
66.8	57.6 - 74.9	99	41.9	36.2 - 47.8	187	73.5	50.0 - 88.5	19	52.4	47.7 - 57.1	305

ARIZONA

2014 School Health Profiles Report Weighted Principal Survey Results

49. Percentage of schools that provide peer tutoring opportunities for students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
84.7	77.5 - 89.8	100	73.8	68.6 - 78.5	187	-	-	18	78.8	74.9 - 82.3	305

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

ARIZONA

2014 School Health Profiles Report Weighted Principal Survey Results

50. Percentage of schools in which students' families helped develop or implement policies and programs related to school health during the past two years.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
26.2	19.7 - 33.9	99	26.6	21.3 - 32.6	187	32.0	15.9 - 54.0	19	26.8	22.7 - 31.4	305