

ARIZONA

2016 School Health Profiles Report Weighted Principal Survey Results

1. Percentage of schools that ever used the School Health Index or other self-assessment tool to assess school policies, activities, and programs in the following areas.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Physical activity	33.6	25.4 - 42.9	88	38.4	32.1 - 45.1	179	26.3	15.5 - 40.9	34	35.5	30.8 - 40.6	301
b. Nutrition	37.1	28.2 - 47.0	88	38.6	32.4 - 45.2	179	26.6	15.6 - 41.4	34	36.8	32.0 - 41.8	301
c. Tobacco-use prevention	37.1	27.8 - 47.5	88	28.2	22.9 - 34.2	179	17.8	8.6 - 33.3	34	29.7	25.2 - 34.5	301
d. Asthma	16.6	10.9 - 24.5	88	13.6	9.7 - 18.6	179	11.8	4.9 - 25.7	34	14.3	11.1 - 18.1	301
e. Injury and violence prevention	32.9	24.1 - 43.2	88	25.5	20.2 - 31.5	179	14.8	6.7 - 29.5	34	26.4	22.1 - 31.2	301
f. HIV, STD, and teen pregnancy prevention	29.2	20.8 - 39.3	88	14.5	10.8 - 19.2	179	11.5	4.8 - 25.1	34	18.5	15.0 - 22.7	301

ARIZONA

2016 School Health Profiles Report Weighted Principal Survey Results

2. Percentage of schools with a School Improvement Plan that includes health-related objectives on the following topics.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Health education	18.0	12.2 - 25.8	84	10.6	7.2 - 15.2	172	21.2	10.7 - 37.6	33	14.0	10.9 - 17.9	289
b. Physical education	22.6	15.7 - 31.4	84	19.6	14.7 - 25.6	172	24.0	12.9 - 40.2	33	21.0	17.1 - 25.6	289
c. Physical activity	11.7	6.8 - 19.6	84	15.0	10.9 - 20.4	173	21.2	10.9 - 37.0	33	14.8	11.5 - 18.9	290
d. School meal programs	15.3	9.8 - 23.1	84	15.3	11.3 - 20.5	172	21.5	11.1 - 37.4	33	16.1	12.7 - 20.1	289
e. Foods and beverages available at school outside the school meal programs	11.9	7.2 - 18.9	83	12.9	9.3 - 17.5	173	12.5	5.2 - 27.3	32	12.5	9.7 - 16.1	288
f. Health services	16.6	10.4 - 25.5	83	15.3	11.1 - 20.7	171	18.4	8.8 - 34.3	33	16.1	12.5 - 20.3	287
g. Counseling, psychological, and social services	48.3	38.5 - 58.2	82	31.4	25.5 - 38.1	172	21.2	10.7 - 37.5	33	35.1	30.3 - 40.3	287
h. Physical environment	41.4	32.3 - 51.1	83	30.4	24.7 - 36.8	172	29.9	16.7 - 47.7	33	33.6	28.9 - 38.6	288
i. Social and emotional climate	54.0	45.8 - 62.0	83	52.2	45.9 - 58.5	173	33.3	19.3 - 51.1	33	50.5	45.7 - 55.3	289
j. Family engagement	62.1	52.5 - 70.8	83	64.0	57.7 - 69.9	173	42.1	26.0 - 60.0	33	60.8	55.8 - 65.7	289
k. Community involvement	62.8	54.2 - 70.7	84	61.7	55.2 - 67.8	173	32.7	19.7 - 49.1	33	58.6	53.7 - 63.3	290
l. Employee wellness	16.5	10.6 - 24.7	86	17.9	13.6 - 23.2	175	23.3	12.3 - 39.6	34	18.1	14.6 - 22.3	295

ARIZONA

2016 School Health Profiles Report Weighted Principal Survey Results

3. Percentage of schools that reviewed health and safety data as part of school's improvement planning process.*

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
37.3	28.3 - 47.3	79	33.6	27.5 - 40.2	144	22.1	11.1 - 39.4	27	33.5	28.7 - 38.7	250

*Among schools that engaged in an improvement planning process during the past year.
N = Unweighted number of observations

ARIZONA

2016 School Health Profiles Report Weighted Principal Survey Results

4. Percentage of schools that currently have someone who oversees or coordinates school health and safety programs and activities.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
71.1	61.6 - 79.1	88	75.3	68.8 - 80.8	181	59.2	43.1 - 73.6	34	72.2	67.2 - 76.6	303

ARIZONA

2016 School Health Profiles Report Weighted Principal Survey Results

5. Percentage of schools that have one or more than one group (e.g., a school health council, committee, or team) that offers guidance on the development of policies or coordinates activities on health topics.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
39.8	32.3 - 47.7	88	37.1	31.4 - 43.2	182	38.1	23.4 - 55.3	34	38.0	33.5 - 42.7	304

ARIZONA

2016 School Health Profiles Report Weighted Principal Survey Results

6. Percentage of schools that have a school health council, committee, or team that did the following activities during the past year.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Identified student health needs based on a review of relevant data	64.8	50.9 - 76.6	35	61.9	51.7 - 71.1	68	54.0	30.2 - 76.0	13	61.8	54.1 - 69.0	116
b. Recommended new or revised health and safety policies and activities to school administrators or the school improvement team	56.6	43.3 - 68.9	35	53.6	44.1 - 62.9	68	69.1	43.3 - 86.7	13	56.3	48.9 - 63.5	116
c. Sought funding or leveraged resources to support health and safety priorities for students and staff	47.7	32.5 - 63.3	35	56.1	45.4 - 66.2	68	38.1	19.8 - 60.7	13	51.4	43.2 - 59.6	116
d. Communicated the importance of health and safety policies and activities to district administrators, school administrators, parent-teacher groups, or community members	78.6	63.0 - 88.7	34	77.9	67.4 - 85.7	68	77.7	51.8 - 91.9	13	78.1	70.3 - 84.3	115
e. Reviewed health-related curricula or instructional materials	59.0	44.4 - 72.2	35	62.4	52.6 - 71.2	68	62.7	42.0 - 79.6	13	61.4	53.8 - 68.4	116
f. Assessed the availability of physical activity opportunities for students	63.0	49.3 - 74.9	35	73.2	63.1 - 81.3	66	61.9	37.0 - 81.8	13	68.7	61.0 - 75.5	114
g. Developed a written plan for implementing a Comprehensive School Physical Activity Program (a multi-component approach that provides opportunities for students to be physically active before, during, and after school)	14.6	6.9 - 28.2	35	33.4	24.0 - 44.4	68	39.7	20.8 - 62.1	13	28.4	21.7 - 36.3	116

*Among schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

N = Unweighted number of observations

ARIZONA

2016 School Health Profiles Report Weighted Principal Survey Results

7. Percentage of schools that have any clubs that give students opportunities to learn about people different from them, such as students with disabilities, homeless youth, or people from different cultures.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools			
Percent	95% Confidence Interval		Percent	95% Confidence Interval		N	Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N			Interval	N		Interval	N
65.3	57.3 - 72.5	88	42.9	37.3 - 48.6	182	67.1	50.8 - 80.1	34	52.3	47.9 - 56.7	304	

ARIZONA

2016 School Health Profiles Report Weighted Principal Survey Results

8. Percentage of schools that offer each of the following activities for students to learn about people different from them, such as students with disabilities, homeless youth, or people from different cultures.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Lessons in class	68.0	58.7 - 76.0	88	72.4	66.2 - 77.9	181	67.1	55.2 - 77.1	34	70.5	65.8 - 74.8	303
b. Special events sponsored by the school or community organizations (e.g., multicultural week, family night)	73.7	63.4 - 81.9	86	60.0	53.4 - 66.2	182	76.4	62.5 - 86.3	34	65.9	60.9 - 70.6	302

ARIZONA

2016 School Health Profiles Report Weighted Principal Survey Results

9. Percentage of schools that have a student-led club that aims to create a safe, welcoming, and accepting school environment for all youth, regardless of sexual orientation or gender identity.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools			
Percent	95% Confidence Interval		Percent	95% Confidence Interval		N	Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N			Interval	N		Interval	N
43.1	36.9 - 49.6	88	7.0	4.3 - 11.0	183	23.0	14.7 - 34.0	34	19.5	16.7 - 22.6	305	

ARIZONA

2016 School Health Profiles Report Weighted Principal Survey Results

10. Percentage of schools that engage in the following practices related to lesbian, gay, bisexual, transgender, or questioning (LGBTQ) youth.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Identify "safe spaces" (e.g., a counselor's office, designated classroom, or student organization) where LGBTQ youth can receive support from administrators, teachers, or other school staff	76.5	68.5 - 82.9	88	47.7	41.9 - 53.5	180	55.9	39.5 - 71.1	34	57.2	52.7 - 61.6	302
b. Prohibit harassment based on a student's perceived or actual sexual orientation or gender identity	97.5	91.9 - 99.2	88	81.9	76.5 - 86.3	180	85.2	70.4 - 93.3	34	86.9	83.3 - 89.9	302
c. Encourage staff to attend professional development on safe and supportive school environments for all students, regardless of sexual orientation or gender identity	64.9	56.2 - 72.8	88	41.2	35.0 - 47.7	180	47.4	32.4 - 62.9	34	49.0	44.2 - 53.8	302
d. Facilitate access to providers not on school property who have experience in providing health services, including HIV/STD testing and counseling, to LGBTQ youth	65.5	56.8 - 73.3	88	29.1	24.0 - 34.7	180	32.3	20.8 - 46.4	34	40.3	36.1 - 44.7	302
e. Facilitate access to providers not on school property who have experience in providing social and psychological services to LGBTQ youth	62.2	52.2 - 71.3	88	33.6	28.0 - 39.6	180	35.1	22.5 - 50.1	34	42.3	37.6 - 47.1	302

ARIZONA

2016 School Health Profiles Report Weighted Principal Survey Results

11. Percentage of schools in which staff received professional development on preventing, identifying, and responding to student bullying and sexual harassment, including electronic aggression.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
80.0	71.2 - 86.6	88	80.8	75.7 - 85.1	180	82.2	66.7 - 91.4	34	80.7	76.6 - 84.3	302

ARIZONA

2016 School Health Profiles Report Weighted Principal Survey Results

12. Percentage of schools that have a designated staff member to whom students can confidentially report student bullying and sexual harassment, including electronic aggression.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
94.5	88.5 - 97.4	88	95.4	91.8 - 97.5	181	84.9	69.9 - 93.1	34	93.9	91.0 - 95.9	303

ARIZONA

2016 School Health Profiles Report Weighted Principal Survey Results

13. Percentage of schools that use electronic, paper, or oral communication to publicize and disseminate policies, rules, or regulations on bullying and sexual harassment, including electronic aggression.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
83.8	77.0 - 88.9	88	92.0	87.6 - 94.9	181	87.9	73.5 - 95.0	33	89.1	85.7 - 91.7	302

ARIZONA

2016 School Health Profiles Report Weighted Principal Survey Results

14. Percentage of schools that taught a required physical education course in each of the following grades.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Sixth grade	§	§	§	83.2	77.6 - 87.6	153	95.4	77.8 - 99.2	22	84.8	79.8 - 88.7	175
b. Seventh grade	§	§	§	80.1	75.2 - 84.3	182	82.6	70.9 - 90.2	27	80.4	76.0 - 84.2	209
c. Eighth grade	§	§	§	77.5	72.6 - 81.8	182	82.6	70.9 - 90.2	27	78.2	73.7 - 82.1	209
d. Ninth grade	65.8	55.8 - 74.6	87	-	-	3	61.9	42.2 - 78.4	29	64.0	55.2 - 72.0	119
e. Tenth grade	38.5	29.8 - 48.0	87	§	§	§	34.2	21.9 - 48.9	29	37.4	30.1 - 45.4	116
f. Eleventh grade	36.2	27.6 - 45.9	87	§	§	§	30.9	18.3 - 47.3	29	34.9	27.5 - 43.1	116
g. Twelfth grade	36.2	27.6 - 45.9	87	§	§	§	32.0	19.3 - 48.1	28	35.2	27.8 - 43.4	115

*Among schools with students in that grade.

- Results are suppressed due to insufficient number of respondents in subgroup.

§ Grade is not applicable for type of school.

N = Unweighted number of observations

ARIZONA

2016 School Health Profiles Report Weighted Principal Survey Results

15. Percentage of schools in which physical education teachers or specialists received professional development on physical education or physical activity during the past year.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
54.3	45.4 - 62.8	88	75.8	70.2 - 80.7	182	53.9	43.3 - 64.2	33	66.9	62.6 - 71.0	303

ARIZONA

2016 School Health Profiles Report Weighted Principal Survey Results

16. Percentage of schools that provide those who teach physical education with the following materials.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Goals, objectives, and expected outcomes for physical education	76.8	70.3 - 82.2	88	89.7	85.2 - 93.0	182	93.9	81.2 - 98.2	32	86.3	83.1 - 89.1	302
b. A chart describing the annual scope and sequence of instruction for physical education	62.6	54.8 - 69.7	88	73.6	68.4 - 78.3	182	81.7	69.3 - 89.8	32	71.2	67.2 - 74.9	302
c. Plans for how to assess student performance in physical education	65.1	57.8 - 71.7	88	80.1	75.3 - 84.2	182	78.5	64.8 - 87.8	32	75.5	71.7 - 78.9	302
d. A written physical education curriculum	68.4	61.8 - 74.3	88	68.9	62.9 - 74.2	181	67.8	52.9 - 79.8	31	68.6	64.3 - 72.6	300
e. Resources for fitness testing	67.2	61.2 - 72.7	88	84.5	79.3 - 88.5	181	77.5	63.2 - 87.4	32	78.5	74.8 - 81.8	301
f. Physical activity monitoring devices, such as pedometers or heart rate monitors, for physical education	41.8	34.0 - 50.1	88	53.9	47.5 - 60.2	181	28.9	16.7 - 45.1	31	47.6	42.9 - 52.4	300

ARIZONA

2016 School Health Profiles Report Weighted Principal Survey Results

17. Percentage of schools in which students participate in physical activity breaks in classrooms during the school day outside of physical education.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
26.3	19.1 - 35.0	88	71.3	65.4 - 76.6	183	65.1	53.9 - 74.8	33	57.3	53.0 - 61.5	304

ARIZONA

2016 School Health Profiles Report Weighted Principal Survey Results

18. Percentage of schools that offer opportunities for all students to participate in intramural sports programs or physical activity clubs.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
59.8	50.9 - 68.1	88	77.6	72.0 - 82.3	183	66.4	50.4 - 79.3	33	71.1	66.6 - 75.2	304

ARIZONA

2016 School Health Profiles Report Weighted Principal Survey Results

19. Percentage of schools that offer interscholastic sports to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
69.7	63.3 - 75.4	88	85.8	80.6 - 89.8	183	62.6	50.0 - 73.8	33	78.4	74.7 - 81.7	304

ARIZONA

2016 School Health Profiles Report Weighted Principal Survey Results

20. Percentage of schools that offer opportunities for students to participate in physical activity before the school day through organized physical activities or access to facilities or equipment for physical activity.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
38.4	30.6 - 46.7	88	57.0	51.1 - 62.7	183	46.9	34.3 - 60.0	32	50.3	45.9 - 54.8	303

ARIZONA

2016 School Health Profiles Report Weighted Principal Survey Results

21. Percentage of schools that have a joint use agreement for shared use of school or community physical activity facilities.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
55.7	47.9 - 63.2	88	54.1	48.3 - 59.8	183	53.9	41.2 - 66.1	33	54.6	50.2 - 58.9	304

ARIZONA

2016 School Health Profiles Report Weighted Principal Survey Results

22. Percentage of schools that have adopted a policy prohibiting tobacco use.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		N	Percent	95% Confidence Interval		N	
	Interval	N		Interval	N			Interval	N		
98.7	93.4 - 99.8	88	94.5	90.7 - 96.8	183	93.8	80.9 - 98.2	33	95.7	93.1 - 97.3	304

ARIZONA

2016 School Health Profiles Report Weighted Principal Survey Results

23. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for students during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Cigarettes	97.7	92.5 - 99.3	88	92.8	88.6 - 95.5	181	93.6	80.3 - 98.1	32	94.3	91.5 - 96.2	301
b. Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus)	97.7	92.5 - 99.3	88	91.6	87.1 - 94.6	181	93.6	80.3 - 98.1	32	93.6	90.7 - 95.7	301
c. Cigars	95.1	91.5 - 97.3	88	87.6	82.7 - 91.3	181	93.6	80.3 - 98.1	32	90.5	87.4 - 93.0	301
d. Pipes	95.1	91.5 - 97.3	88	87.6	82.7 - 91.3	181	93.6	80.3 - 98.1	32	90.5	87.4 - 93.0	301
e. Electronic vapor products (e.g., e-cigarettes, vape pipes, hookah pens)	95.3	89.4 - 98.0	88	85.8	81.1 - 89.4	180	90.3	76.2 - 96.5	32	89.2	85.9 - 91.7	300

ARIZONA

2016 School Health Profiles Report Weighted Principal Survey Results

23. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for faculty/staff during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Cigarettes	96.6	91.2 - 98.7	88	91.6	87.9 - 94.3	179	93.6	80.3 - 98.1	32	93.3	90.7 - 95.3	299
b. Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus)	96.6	91.2 - 98.7	88	90.4	86.3 - 93.4	179	93.6	80.3 - 98.1	32	92.6	89.8 - 94.7	299
c. Cigars	94.1	89.8 - 96.6	88	88.1	83.6 - 91.6	179	93.6	80.3 - 98.1	32	90.5	87.5 - 92.9	299
d. Pipes	94.1	89.8 - 96.6	88	88.1	83.6 - 91.6	179	93.6	80.3 - 98.1	32	90.5	87.5 - 92.9	299
e. Electronic vapor products (e.g., e-cigarettes, vape pipes, hookah pens)	93.2	88.0 - 96.2	88	83.9	79.1 - 87.8	178	87.1	72.1 - 94.7	32	87.1	83.7 - 89.8	298

ARIZONA

2016 School Health Profiles Report Weighted Principal Survey Results

23. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for visitors during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Cigarettes	94.1	89.8 - 96.6	88	91.6	87.9 - 94.3	179	93.6	80.3 - 98.1	32	92.6	90.0 - 94.5	299
b. Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus)	91.8	86.4 - 95.2	88	89.4	85.2 - 92.6	179	90.4	76.2 - 96.5	32	90.2	87.2 - 92.6	299
c. Cigars	91.5	87.6 - 94.3	88	87.6	83.0 - 91.2	179	93.6	80.3 - 98.1	32	89.5	86.4 - 91.9	299
d. Pipes	90.5	86.0 - 93.6	88	87.6	83.0 - 91.2	179	93.6	80.3 - 98.1	32	89.1	86.0 - 91.6	299
e. Electronic vapor products (e.g., e-cigarettes, vape pipes, hookah pens)	89.6	84.4 - 93.2	88	83.5	78.7 - 87.4	178	83.9	68.0 - 92.8	32	85.4	81.9 - 88.3	298

ARIZONA

2016 School Health Profiles Report Weighted Principal Survey Results

24. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	97.7	92.5 - 99.3	88	93.9	89.9 - 96.3	181	93.6	80.3 - 98.1	32	95.0	92.3 - 96.8	301
b. During non-school hours	80.2	72.2 - 86.3	88	86.5	81.2 - 90.5	181	67.9	51.7 - 80.7	32	82.6	78.4 - 86.1	301

ARIZONA

2016 School Health Profiles Report Weighted Principal Survey Results

24. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. During school hours	94.1	90.0 - 96.6	88	92.6	88.3 - 95.4	179	93.6	80.3 - 98.1	32	93.2	90.4 - 95.2	299
b. During non-school hours	78.1	70.2 - 84.3	88	82.9	77.5 - 87.3	178	55.3	41.6 - 68.3	32	78.4	74.2 - 82.0	298

ARIZONA

2016 School Health Profiles Report Weighted Principal Survey Results

24. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	92.9	87.9 - 95.9	88	92.6	88.3 - 95.4	179	93.6	80.3 - 98.1	32	92.8	89.9 - 94.9	299
b. During non-school hours	75.4	67.6 - 81.9	87	82.9	77.5 - 87.3	178	58.6	44.7 - 71.2	32	78.0	73.8 - 81.6	297

ARIZONA

2016 School Health Profiles Report Weighted Principal Survey Results

25. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. In school buildings	97.7	92.5 - 99.3	88	94.4	90.6 - 96.7	181	93.6	80.3 - 98.1	32	95.3	92.7 - 97.0	301
b. Outside on school grounds, including parking lots and playing fields	97.7	92.5 - 99.3	88	94.4	90.6 - 96.7	181	93.6	80.3 - 98.1	32	95.3	92.7 - 97.0	301
c. On school buses or other vehicles used to transport students	96.4	90.7 - 98.7	88	94.4	90.6 - 96.7	180	90.3	76.2 - 96.5	32	94.5	91.7 - 96.4	300
d. At off-campus, school-sponsored events	93.9	89.3 - 96.6	88	89.0	84.4 - 92.4	180	93.6	80.3 - 98.1	32	91.0	87.9 - 93.3	300

ARIZONA

2016 School Health Profiles Report Weighted Principal Survey Results

25. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. In school buildings	96.6	91.2 - 98.7	88	94.4	90.5 - 96.7	179	93.6	80.3 - 98.1	32	94.9	92.2 - 96.7	299
b. Outside on school grounds, including parking lots and playing fields	96.6	91.2 - 98.7	88	93.8	89.7 - 96.3	179	93.6	80.3 - 98.1	32	94.6	91.8 - 96.5	299
c. On school buses or other vehicles used to transport students	95.3	89.4 - 98.0	88	94.4	90.5 - 96.7	179	90.3	76.2 - 96.5	32	94.2	91.3 - 96.2	299
d. At off-campus, school-sponsored events	90.5	84.6 - 94.3	88	86.9	82.1 - 90.6	179	93.6	80.3 - 98.1	32	88.7	85.4 - 91.4	299

ARIZONA

2016 School Health Profiles Report Weighted Principal Survey Results

25. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. In school buildings	95.3	89.4 - 98.0	88	94.4	90.5 - 96.7	179	93.6	80.3 - 98.1	32	94.6	91.8 - 96.4	299
b. Outside on school grounds, including parking lots and playing fields	94.1	87.8 - 97.3	88	92.6	88.4 - 95.4	178	93.6	80.3 - 98.1	32	93.2	90.2 - 95.4	298
c. On school buses or other vehicles used to transport students	92.9	86.2 - 96.5	88	92.7	88.4 - 95.4	177	90.3	76.2 - 96.5	32	92.5	89.3 - 94.8	297
d. At off-campus, school-sponsored events	78.9	71.3 - 84.9	88	78.5	72.8 - 83.3	177	83.9	72.3 - 91.3	32	79.2	75.1 - 82.8	297

ARIZONA

2016 School Health Profiles Report Weighted Principal Survey Results

25N. Percentage of schools that follow a policy that mandates a "tobacco-free environment." A "tobacco-free environment" is one that prohibits tobacco use by students, staff, and visitors in school buildings, at school functions, in school vehicles, on school grounds, and at off-site school events, applicable 24 hours a day and seven days a week.*

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
63.8	55.3 - 71.4	87	63.3	57.2 - 69.1	179	42.5	30.0 - 56.0	32	61.1	56.5 - 65.6	298

*Responses to question 23 (a, b, c, and d), question 24 (a and b), and question 25 (a, b, c, and d) are all "yes."
N = Unweighted number of observations

ARIZONA

2016 School Health Profiles Report Weighted Principal Survey Results

26. Percentage of schools that post signs marking a tobacco-free school zone, that is, a specified distance from school grounds where tobacco use is not allowed.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
83.7	75.8 - 89.4	88	88.8	84.5 - 92.0	180	91.3	78.3 - 96.8	33	87.6	84.1 - 90.4	301

ARIZONA

2016 School Health Profiles Report Weighted Principal Survey Results

27. Percentage of schools that provide tobacco cessation services for each of the following groups.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Faculty and staff	20.5	13.9 - 29.3	88	20.2	15.8 - 25.4	183	3.1	0.6 - 15.4	33	18.4	15.0 - 22.3	304
b. Students	22.5	16.1 - 30.5	88	12.1	8.5 - 16.8	181	9.3	3.4 - 23.1	33	14.9	11.8 - 18.6	302

ARIZONA

2016 School Health Profiles Report Weighted Principal Survey Results

28. Percentage of schools that have arrangements with any organization or health care professionals not on school property to provide tobacco cessation services for each of the following groups.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Faculty and staff	36.0	27.9 - 44.8	88	25.9	21.0 - 31.6	182	9.0	3.3 - 22.4	33	27.0	23.0 - 31.4	303
b. Students	30.5	22.8 - 39.5	88	11.7	8.3 - 16.3	182	9.3	3.4 - 23.1	33	17.0	13.7 - 20.9	303

ARIZONA

2016 School Health Profiles Report Weighted Principal Survey Results

28N. Percentage of schools that provide tobacco-use cessation services to faculty, staff, and students through direct service at school or arrangements with providers not on school property.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
29.2	21.8 - 37.9	88	13.3	9.7 - 18.0	182	3.1	0.6 - 15.4	33	16.9	13.7 - 20.7	303

ARIZONA

2016 School Health Profiles Report Weighted Principal Survey Results

29. Percentage of schools that never, rarely, sometimes, or almost always or always offer fruits or non-fried vegetables at celebrations when foods and beverages are offered.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Foods or beverages are not offered at school celebrations	8.4	4.4 - 15.5	88	8.1	5.4 - 12.1	183	8.8	3.2 - 21.8	34	8.3	5.9 - 11.4	305
b. Never	0.0	†	88	1.2	0.3 - 3.7	183	3.0	0.5 - 14.9	34	1.0	0.4 - 2.7	305
c. Rarely	8.1	4.2 - 15.0	88	10.5	7.4 - 14.6	183	5.7	1.7 - 17.7	34	9.2	6.8 - 12.3	305
d. Sometimes	45.2	36.5 - 54.3	88	38.9	33.6 - 44.6	183	32.3	19.6 - 48.4	34	40.0	35.6 - 44.6	305
e. Always or almost always	38.3	30.9 - 46.2	88	41.3	35.5 - 47.4	183	50.1	34.3 - 66.0	34	41.4	36.9 - 46.1	305

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

ARIZONA

2016 School Health Profiles Report Weighted Principal Survey Results

29N. Percentage of schools that offer fruits or non-fried vegetables in vending machines or school stores, and almost always or always at celebrations when foods and beverages are offered.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools			
Percent	95% Confidence Interval		Percent	95% Confidence Interval		N	Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N			Interval	N		Interval	N
15.5	9.7 - 23.7	88	5.8	3.5 - 9.6	183	14.8	6.7 - 29.5	34	9.7	7.1 - 13.1	305	

ARIZONA

2016 School Health Profiles Report Weighted Principal Survey Results

30. Percentage of schools in which students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
69.0	59.6 - 77.1	88	34.9	29.7 - 40.5	183	44.1	28.8 - 60.6	34	46.0	41.5 - 50.6	305

ARIZONA

2016 School Health Profiles Report Weighted Principal Survey Results

31. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Chocolate candy	14.8	9.1 - 23.1	88	2.8	1.3 - 5.9	183	11.8	4.9 - 25.7	34	7.4	5.1 - 10.5	305
b. Other kinds of candy	26.0	18.5 - 35.1	87	5.7	3.6 - 9.1	183	11.5	4.8 - 25.1	34	12.3	9.5 - 15.8	304
c. Salty snacks that are not low in fat (e.g., regular potato chips)	31.9	23.5 - 41.6	88	9.2	6.2 - 13.4	183	17.5	8.5 - 32.8	34	16.8	13.5 - 20.8	305
d. Low sodium or "no added salt" pretzels, crackers, or chips	57.5	48.3 - 66.2	88	23.7	19.0 - 29.2	183	35.0	21.3 - 51.8	34	35.0	30.7 - 39.5	305
e. Cookies, crackers, cakes, pastries, or other baked goods that are not low in fat	28.3	20.4 - 37.9	88	9.7	6.8 - 13.7	183	14.5	6.6 - 29.0	34	15.7	12.5 - 19.6	305
f. Ice cream or frozen yogurt that is not low in fat	16.0	10.9 - 22.9	88	2.6	1.2 - 5.4	183	5.7	1.7 - 17.7	34	6.9	5.0 - 9.5	305
g. 2% or whole milk (plain or flavored)	19.8	13.7 - 27.6	88	10.8	7.5 - 15.3	183	23.6	13.4 - 38.0	34	14.9	11.9 - 18.6	305
h. Nonfat or 1% (low-fat) milk (plain)	32.4	26.3 - 39.0	88	16.7	12.6 - 22.0	183	20.8	11.9 - 34.0	34	21.8	18.5 - 25.6	305
i. Water ices or frozen slushes that do not contain juice	14.3	9.2 - 21.6	88	3.6	2.1 - 6.1	183	8.5	3.1 - 21.1	34	7.3	5.3 - 10.0	305
j. Soda pop or fruit drinks that are not 100% juice	21.4	14.6 - 30.3	88	5.8	3.6 - 9.2	183	17.5	8.5 - 32.7	34	11.8	9.0 - 15.3	305
k. Sports drinks (e.g., Gatorade)	47.3	39.1 - 55.6	88	13.4	9.9 - 17.9	183	29.9	17.9 - 45.5	34	25.3	21.7 - 29.3	305

ARIZONA

2016 School Health Profiles Report Weighted Principal Survey Results

31. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
l. Energy drinks (e.g., Red Bull, Monster)	5.5	3.0 - 9.7	88	0.0	†	183	0.0	†	34	1.6	0.9 - 2.9	305
m. Bottled water	66.7	57.9 - 74.5	88	32.6	27.5 - 38.3	183	44.1	28.8 - 60.6	34	44.0	39.6 - 48.5	305
n. 100% fruit or vegetable juice	44.8	36.5 - 53.5	88	18.8	14.5 - 24.0	183	23.3	13.3 - 37.5	34	27.0	23.2 - 31.2	305
o. Foods or beverages containing caffeine	24.5	17.7 - 32.9	88	4.9	2.9 - 8.1	183	11.8	4.9 - 25.7	34	11.5	8.9 - 14.8	305
p. Fruits (not fruit juice)	30.4	23.2 - 38.7	88	12.7	9.2 - 17.3	183	26.6	16.9 - 39.2	34	19.5	16.2 - 23.3	305
q. Non-fried vegetables (not vegetable juice)	27.3	20.7 - 35.1	88	7.2	4.7 - 10.8	183	8.8	3.2 - 21.8	34	13.3	10.6 - 16.5	305

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

ARIZONA

2016 School Health Profiles Report Weighted Principal Survey Results

32. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Priced nutritious foods and beverages at a lower cost while increasing the price of less nutritious foods and beverages	13.0	8.3 - 20.0	88	6.9	4.3 - 10.9	182	18.7	9.2 - 34.2	33	10.1	7.5 - 13.4	303
b. Collected suggestions from students, families, and school staff on nutritious food preferences and strategies to promote healthy eating	50.9	41.4 - 60.2	88	39.5	33.4 - 46.0	182	43.3	29.6 - 58.1	33	43.3	38.4 - 48.3	303
c. Provided information to students or families on the nutrition and caloric content of foods available	50.7	41.7 - 59.6	88	56.1	50.0 - 62.1	182	48.9	36.5 - 61.5	33	53.7	49.0 - 58.3	303
d. Conducted taste tests to determine food preferences for nutritious items	28.7	21.5 - 37.1	88	28.9	23.1 - 35.3	182	37.1	27.5 - 47.8	33	29.7	25.5 - 34.4	303
e. Provided opportunities for students to visit the cafeteria to learn about food safety, food preparation, or other nutrition-related topics	23.8	17.7 - 31.1	88	21.4	16.6 - 27.1	182	15.6	8.4 - 26.9	33	21.4	17.9 - 25.5	303
f. Served locally or regionally grown foods in the cafeteria or classrooms	31.8	24.3 - 40.4	88	33.1	27.0 - 39.8	182	33.9	23.3 - 46.5	33	32.8	28.3 - 37.6	303
g. Planted a school food or vegetable garden	35.0	27.7 - 43.0	88	34.2	28.8 - 40.0	182	39.3	25.3 - 55.2	33	35.0	30.7 - 39.5	303
h. Placed fruits and vegetables near the cafeteria cashier, where they are easy to access	70.3	62.1 - 77.3	88	70.1	63.8 - 75.7	182	60.4	45.3 - 73.8	33	69.0	64.4 - 73.4	303

ARIZONA

2016 School Health Profiles Report Weighted Principal Survey Results

32. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
i. Used attractive displays for fruits and vegetables in the cafeteria	53.1	44.1 - 61.9	88	67.6	61.9 - 72.9	183	54.5	38.4 - 69.7	33	61.8	57.2 - 66.3	304
j. Offered a self-serve salad bar to students	37.1	29.8 - 45.1	88	58.8	53.0 - 64.5	181	33.6	19.1 - 52.1	33	49.5	45.0 - 54.1	302
k. Labeled healthful foods with appealing names (e.g., crunchy carrots)	20.3	14.0 - 28.4	87	36.3	30.9 - 42.0	182	15.6	8.5 - 26.9	33	29.2	25.3 - 33.4	302
l. Encouraged students to drink plain water	80.7	71.6 - 87.4	88	79.3	73.7 - 84.0	183	88.5	74.8 - 95.2	33	80.8	76.5 - 84.4	304
m. Prohibited school staff from giving students food or food coupons as a reward for good behavior or good academic performance	31.7	23.1 - 41.7	88	36.2	30.6 - 42.2	182	34.3	19.8 - 52.4	33	34.6	30.0 - 39.6	303
n. Prohibited less nutritious foods and beverages (e.g., candy, baked goods) from being sold for fundraising purposes	45.1	36.7 - 53.8	88	46.7	41.0 - 52.5	182	30.8	18.7 - 46.3	33	44.4	40.0 - 49.0	303

ARIZONA

2016 School Health Profiles Report Weighted Principal Survey Results

33. Percentage of schools that prohibit advertisements for candy, fast food restaurants, or soft drinks in the following locations.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. In school buildings	70.0	60.7 - 77.9	88	74.0	68.3 - 79.0	182	61.9	48.3 - 73.9	34	71.4	66.9 - 75.5	304
b. On school grounds including on the outside of the school building, on playing fields, or other areas of the campus	58.3	49.2 - 66.8	88	72.0	66.0 - 77.3	181	53.2	41.4 - 64.6	34	65.7	61.2 - 70.0	303
c. On school buses or other vehicles used to transport students	71.2	62.1 - 78.8	88	71.4	65.4 - 76.8	182	64.9	50.1 - 77.4	34	70.6	65.9 - 74.9	304
d. In school publications (e.g., newsletters, newspapers, web sites, or other school publications)	63.8	56.8 - 70.3	88	70.0	64.2 - 75.3	182	65.0	50.1 - 77.4	34	67.6	63.3 - 71.6	304
e. In curricula or other educational materials (including assignment books, school supplies, book covers, and electronic media)	65.3	57.7 - 72.3	88	70.4	64.4 - 75.7	182	68.0	51.7 - 80.8	34	68.6	64.1 - 72.8	304

ARIZONA

2016 School Health Profiles Report Weighted Principal Survey Results

34. Percentage of schools that permit students to have a drinking water bottle with them during the school day.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Yes, in all locations	95.1	88.9 - 97.9	87	94.9	91.2 - 97.1	182	96.9	84.7 - 99.4	33	95.2	92.5 - 97.0	302
b. Yes, in certain locations	2.4	0.7 - 7.6	87	3.4	1.7 - 6.7	182	3.1	0.6 - 15.3	33	3.1	1.7 - 5.3	302
c. No	2.6	0.8 - 8.2	87	1.7	0.6 - 4.4	182	0.0	†	33	1.7	0.8 - 3.7	302

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

ARIZONA

2016 School Health Profiles Report Weighted Principal Survey Results

34N. Percentage of schools that permit students to have a drinking water bottle with them in either all locations or certain locations during the school day.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
97.4	91.8 - 99.2	87	98.3	95.6 - 99.4	182	100.0	†	33	98.3	96.3 - 99.2	302

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

ARIZONA

2016 School Health Profiles Report Weighted Principal Survey Results

35. Percentage of schools that offer a free source of drinking water in the following locations.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Cafeteria during breakfast	96.8	90.0 - 99.0	65	96.8	93.4 - 98.5	157	100.0	†	23	97.1	94.6 - 98.5	245
b. Cafeteria during lunch	98.5	92.4 - 99.7	65	97.5	94.3 - 98.9	157	100.0	†	23	98.0	95.9 - 99.1	245
c. Gymnasium or other indoor physical activity facilities	96.8	89.8 - 99.0	66	95.5	92.0 - 97.6	175	96.3	83.0 - 99.3	28	95.9	93.3 - 97.6	269
d. Outdoor physical activity facilities and sports fields	94.1	86.6 - 97.5	68	91.8	87.8 - 94.5	180	93.4	79.7 - 98.1	31	92.5	89.5 - 94.7	279
e. Hallways throughout the school	98.9	94.3 - 99.8	86	93.7	89.6 - 96.2	174	96.8	84.1 - 99.4	32	95.6	93.0 - 97.3	292

*Among schools with that location.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

ARIZONA

2016 School Health Profiles Report Weighted Principal Survey Results

36. Percentage of schools that have a full-time registered nurse who provides health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
41.0	37.1 - 44.9	88	45.1	39.5 - 50.8	183	20.2	11.3 - 33.6	34	41.0	37.3 - 44.8	305

ARIZONA

2016 School Health Profiles Report Weighted Principal Survey Results

37. Percentage of schools that have a part-time registered nurse who provides health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
16.7	11.0 - 24.7	88	17.8	13.7 - 22.9	183	17.2	9.4 - 29.4	34	17.4	14.2 - 21.3	305

ARIZONA

2016 School Health Profiles Report Weighted Principal Survey Results

38. Percentage of schools that have a school-based health center that offers health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
27.2	20.4 - 35.4	88	27.6	22.0 - 34.0	183	20.2	11.6 - 33.0	34	26.7	22.5 - 31.3	305

ARIZONA

2016 School Health Profiles Report Weighted Principal Survey Results

39. Percentage of schools that provide the following services to students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. HIV testing	1.3	0.2 - 6.6	88	0.0	†	181	0.0	†	34	0.4	0.1 - 2.0	303
b. HIV treatment (ongoing medical care for persons living with HIV)	1.3	0.2 - 6.6	88	0.5	0.1 - 2.6	183	0.0	†	34	0.7	0.2 - 2.2	305
c. STD testing	2.3	0.7 - 7.5	88	0.0	†	182	0.0	†	34	0.7	0.2 - 2.3	304
d. STD treatment	1.3	0.2 - 6.6	88	0.0	†	182	0.0	†	34	0.4	0.1 - 2.0	304
e. Pregnancy testing	2.4	0.7 - 7.6	87	0.0	†	181	0.0	†	34	0.7	0.2 - 2.3	302
f. Provision of condoms	4.9	2.1 - 11.1	86	0.0	†	182	0.0	†	34	1.4	0.6 - 3.3	302
g. Provision of condom-compatible lubricants (i.e., water- or silicone-based)	1.1	0.2 - 5.6	88	0.0	†	182	0.0	†	34	0.3	0.1 - 1.7	304
h. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	1.1	0.2 - 5.6	88	0.0	†	182	0.0	†	34	0.3	0.1 - 1.7	304
i. Prenatal care	4.7	2.0 - 10.6	88	0.0	†	182	0.0	†	34	1.4	0.6 - 3.2	304
j. Human papillomavirus (HPV) vaccine administration	1.3	0.2 - 6.6	88	1.1	0.3 - 3.5	183	0.0	†	34	1.0	0.4 - 2.7	305

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

ARIZONA

2016 School Health Profiles Report Weighted Principal Survey Results

40. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. HIV testing	32.4	23.4 - 42.9	73	7.3	4.5 - 11.4	178	12.2	5.0 - 26.5	33	14.5	11.2 - 18.4	284
b. HIV treatment (ongoing medical care for persons living with HIV)	38.5	29.9 - 47.9	87	9.3	6.3 - 13.6	183	14.8	6.7 - 29.5	34	18.5	15.1 - 22.4	304
c. nPEP (non-occupational post-exposure prophylaxis for HIV--a short course of medication given within 72 hours of exposure to infectious bodily fluids from a person known to be HIV positive)	32.5	24.3 - 41.9	87	9.8	6.7 - 14.2	183	14.8	6.7 - 29.5	34	17.0	13.7 - 21.0	304
d. STD testing	31.9	22.9 - 42.5	74	7.3	4.6 - 11.5	177	12.2	5.0 - 26.5	33	14.5	11.2 - 18.5	284
e. STD treatment	30.0	21.3 - 40.4	75	7.3	4.6 - 11.5	177	12.2	5.0 - 26.5	33	14.0	10.8 - 18.0	285
f. Pregnancy testing	31.3	22.4 - 42.0	72	8.9	5.8 - 13.5	178	12.2	5.0 - 26.5	33	15.2	11.8 - 19.3	283
g. Provision of condoms	25.3	17.4 - 35.2	78	6.7	4.1 - 10.8	179	12.2	5.0 - 26.5	33	12.5	9.5 - 16.3	290

ARIZONA

2016 School Health Profiles Report Weighted Principal Survey Results

40. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
h. Provision of condom-compatible lubricants (i.e., water- or silicone-based)	23.6	16.1 - 33.1	79	6.2	3.7 - 10.2	179	9.0	3.3 - 22.4	33	11.4	8.5 - 15.1	291
i. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	25.1	17.3 - 35.0	78	6.7	4.1 - 10.8	179	12.2	5.0 - 26.5	33	12.4	9.4 - 16.3	290
j. Prenatal care	31.2	22.6 - 41.4	75	8.3	5.3 - 12.7	179	12.2	5.0 - 26.5	33	14.9	11.6 - 18.9	287
k. Human papillomavirus (HPV) vaccine administration	35.8	27.8 - 44.7	87	11.4	7.9 - 16.4	183	14.8	6.7 - 29.5	34	19.0	15.5 - 23.0	304

ARIZONA

2016 School Health Profiles Report Weighted Principal Survey Results

41. Percentage of schools that have a protocol that ensures students with a chronic condition that may require daily or emergency management (e.g., asthma, diabetes, food allergies) are enrolled in private, state, or federally funded insurance programs if eligible.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		N	Percent	95% Confidence Interval		N	
	Interval	N		Interval	N			Interval	N		
54.9	45.9 - 63.5	88	52.8	46.3 - 59.1	181	61.6	46.2 - 75.0	34	54.4	49.5 - 59.3	303

ARIZONA

2016 School Health Profiles Report Weighted Principal Survey Results

42. Percentage of schools that routinely use school records to identify and track students with a current diagnosis of the following chronic conditions.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Asthma	92.6	85.6 - 96.3	88	94.8	91.2 - 96.9	182	94.3	82.3 - 98.3	34	94.1	91.2 - 96.0	304
b. Food allergies	88.8	80.9 - 93.7	88	94.9	91.1 - 97.1	182	94.3	82.3 - 98.3	34	93.0	89.9 - 95.2	304
c. Diabetes	90.3	82.8 - 94.7	88	94.7	90.9 - 97.0	182	94.3	82.3 - 98.3	34	93.4	90.3 - 95.5	304
d. Epilepsy or seizure disorder	91.4	84.1 - 95.5	88	93.6	89.6 - 96.2	182	94.3	82.3 - 98.3	34	93.0	89.9 - 95.2	304
e. Obesity	28.1	21.9 - 35.4	88	33.0	27.6 - 39.0	182	44.1	29.0 - 60.4	34	32.9	28.7 - 37.3	304
f. Hypertension/high blood pressure	68.7	59.9 - 76.5	88	64.1	57.6 - 70.2	182	58.9	44.8 - 71.7	34	64.9	60.0 - 69.5	304

ARIZONA

2016 School Health Profiles Report Weighted Principal Survey Results

43. Percentage of schools that provide referrals to any organizations or health care professionals not on school property for students diagnosed with or suspected to have the following chronic conditions.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Asthma	46.7	37.3 - 56.3	88	33.2	27.8 - 39.0	182	11.8	4.9 - 25.7	34	34.7	30.3 - 39.4	304
b. Food allergies	43.3	33.5 - 53.6	88	31.5	26.1 - 37.5	182	11.8	4.9 - 25.7	34	32.7	28.2 - 37.5	304
c. Diabetes	45.4	35.6 - 55.7	88	32.1	26.7 - 38.0	182	11.8	4.9 - 25.7	34	33.7	29.2 - 38.4	304
d. Epilepsy or seizure disorder	43.3	33.5 - 53.6	88	32.7	27.4 - 38.4	182	11.8	4.9 - 25.7	34	33.4	29.0 - 38.1	304
e. Obesity	36.5	27.6 - 46.3	88	25.9	21.1 - 31.4	182	11.8	4.9 - 25.7	34	27.4	23.3 - 31.9	304
f. Hypertension/high blood pressure	39.8	30.3 - 50.1	88	28.7	23.6 - 34.5	182	11.8	4.9 - 25.7	34	30.0	25.7 - 34.7	304

ARIZONA

2016 School Health Profiles Report Weighted Principal Survey Results

44. Percentage of schools with practices regarding parental consent and notification when sexual or reproductive health services are provided.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. This school does not provide any sexual or reproductive health services	75.7	67.3 - 82.5	86	84.8	79.2 - 89.1	180	85.5	71.0 - 93.4	34	82.2	78.0 - 85.8	300
b. Parental consent is required before any sexual or reproductive health services are provided	16.8	10.5 - 25.7	86	14.0	9.9 - 19.4	180	14.5	6.6 - 29.0	34	14.9	11.5 - 19.1	300
c. Parental consent is not required for sexual or reproductive health services and parents are provided with information about services provided only upon request	2.5	0.8 - 8.0	86	0.6	0.1 - 3.0	180	0.0	†	34	1.1	0.4 - 2.8	300
d. Parental consent is not required for sexual or reproductive health services, but parents may be notified depending on the service provided	2.6	0.8 - 8.3	86	0.0	†	180	0.0	†	34	0.8	0.2 - 2.5	300
e. Parental consent is not required for sexual or reproductive health services, but parents are notified about all services provided	2.4	0.7 - 7.7	86	0.6	0.1 - 3.2	180	0.0	†	34	1.1	0.4 - 2.8	300
f. Parental consent is not required for sexual or reproductive health services and parents are not notified about any services provided	0.0	†	86	0.0	†	180	0.0	†	34	0.0	†	300

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

ARIZONA

2016 School Health Profiles Report Weighted Principal Survey Results

45. Percentage of schools with practices regarding parental consent and notification when sexual or reproductive health services are referred.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. This school does not refer any sexual or reproductive health services	62.7	52.0 - 72.4	71	86.9	81.8 - 90.7	176	78.8	62.4 - 89.3	33	79.6	75.1 - 83.5	280
b. Parental consent is required before any sexual or reproductive health services are referred	19.8	12.5 - 29.8	71	12.5	8.9 - 17.5	176	21.2	10.7 - 37.6	33	15.5	12.0 - 19.7	280
c. Parental consent is not required for sexual or reproductive health services and parents are provided with information about services referred only upon request	5.7	2.5 - 12.6	71	0.6	0.1 - 3.1	176	0.0	†	33	1.8	0.9 - 3.8	280
d. Parental consent is not required for sexual or reproductive health services, but parents may be notified depending on the service referred	8.9	4.4 - 17.2	71	0.0	†	176	0.0	†	33	2.3	1.2 - 4.6	280
e. Parental consent is not required for sexual or reproductive health services, but parents are notified about all services referred	1.6	0.3 - 7.9	71	0.0	†	176	0.0	†	33	0.4	0.1 - 2.1	280
f. Parental consent is not required for sexual or reproductive health services and parents are not notified about any services referred	1.3	0.2 - 6.8	71	0.0	†	176	0.0	†	33	0.3	0.1 - 1.8	280

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

ARIZONA

2016 School Health Profiles Report Weighted Principal Survey Results

46. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Provided parents and families with information about how to communicate with their child about sex	13.1	8.3 - 20.1	88	16.2	12.1 - 21.3	183	11.8	4.9 - 25.7	34	14.8	11.7 - 18.5	305
b. Provided parents with information about how to monitor their child (e.g., setting parental expectations, keeping track of their child, responding when their child breaks the rules)	44.3	35.0 - 53.9	88	62.5	55.8 - 68.7	183	47.4	31.3 - 64.1	34	55.4	50.2 - 60.4	305
c. Involved parents as school volunteers in the delivery of health education activities and services	13.2	8.4 - 20.3	88	19.5	15.2 - 24.6	183	6.0	1.8 - 18.5	34	16.1	13.0 - 19.7	305
d. Linked parents and families to health services and programs in the community	60.2	51.2 - 68.6	88	65.5	59.5 - 71.0	183	35.9	24.9 - 48.7	34	60.5	55.9 - 64.9	305

ARIZONA

2016 School Health Profiles Report Weighted Principal Survey Results

47. Percentage of schools that use electronic, paper, or oral communication to inform parents about school health services and programs.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
54.4	46.2 - 62.3	88	78.8	73.2 - 83.5	183	64.7	48.0 - 78.4	34	69.9	65.5 - 74.0	305

ARIZONA

2016 School Health Profiles Report Weighted Principal Survey Results

48. Percentage of schools that participate in a program in which family or community members serve as role models to students or mentor students, such as the Big Brothers Big Sisters program.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
25.7	18.3 - 34.8	88	19.5	14.9 - 25.0	183	17.5	8.5 - 32.7	34	21.1	17.3 - 25.4	305

ARIZONA

2016 School Health Profiles Report Weighted Principal Survey Results

49. Percentage of schools that provide service-learning opportunities for students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
59.6	50.9 - 67.7	88	45.2	39.1 - 51.4	183	64.4	47.6 - 78.2	34	51.6	46.9 - 56.4	305

ARIZONA

2016 School Health Profiles Report Weighted Principal Survey Results

50. Percentage of schools that provide peer tutoring opportunities for students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
78.3	71.3 - 83.9	88	74.8	68.7 - 80.0	183	94.0	81.5 - 98.2	34	78.0	73.9 - 81.7	305

ARIZONA

2016 School Health Profiles Report Weighted Principal Survey Results

51. Percentage of schools in which students' families helped develop or implement policies and programs related to school health during the past two years.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
26.5	19.1 - 35.5	88	28.4	23.1 - 34.3	183	26.3	15.5 - 41.0	34	27.6	23.4 - 32.2	305