

## ARIZONA

### 2024 School Health Profiles Report Weighted Principal Survey Results

1. Percentage of schools that ever used the School Health Index or other self-assessment tool to assess school policies, activities, and programs in the following areas.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Physical education and physical activity	40.2	29.4 - 52.1	59	34.6	27.3 - 42.6	139	41.4	26.2 - 58.4	36	37.2	31.4 - 43.4	234
b. Nutrition	43.8	32.2 - 56.0	59	29.9	22.8 - 38.2	138	43.9	29.2 - 59.8	36	35.9	30.1 - 42.1	233
c. Tobacco-use prevention	48.3	36.5 - 60.4	59	19.5	14.3 - 26.0	139	35.4	21.6 - 52.2	36	29.6	24.6 - 35.2	234
d. Alcohol- and other drug-use prevention	48.3	36.5 - 60.4	59	21.1	15.5 - 27.9	139	32.9	19.8 - 49.4	36	30.1	25.0 - 35.7	234
e. Chronic health conditions (e.g., asthma, food allergies)	38.4	27.6 - 50.4	59	14.7	10.0 - 21.0	138	30.1	16.8 - 47.9	36	23.4	18.7 - 28.9	233
f. Unintentional injury and violence prevention (safety)	40.1	28.3 - 53.1	59	18.0	12.9 - 24.6	138	30.4	17.8 - 46.8	36	25.8	20.9 - 31.5	233
g. Sexual health, including HIV, other sexually transmitted infection (STI), and pregnancy prevention	40.2	28.6 - 53.0	59	8.7	5.3 - 13.9	138	23.9	13.6 - 38.5	36	19.4	15.3 - 24.4	233

## ARIZONA

### 2024 School Health Profiles Report Weighted Principal Survey Results

2. Percentage of schools that did the following activities during the past year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Reviewed district’s local wellness policy	78.1	69.7 - 84.7	55	75.3	67.7 - 81.6	130	75.6	63.3 - 84.8	33	76.1	71.0 - 80.5	218
b. Helped revise district’s local wellness policy	52.4	39.0 - 65.4	55	41.6	34.1 - 49.5	130	54.6	37.9 - 70.3	33	46.5	40.3 - 52.9	218
c. Communicated to school staff about district’s local wellness policy	74.0	65.7 - 80.9	54	71.8	63.9 - 78.5	130	66.5	52.8 - 77.9	33	71.5	66.1 - 76.3	217
d. Communicated to parents and families about district’s local wellness policy	58.9	47.2 - 69.7	54	62.2	54.3 - 69.6	131	59.6	44.6 - 72.9	33	61.0	55.0 - 66.6	218
e. Communicated to students about district’s local wellness policy	62.9	52.4 - 72.3	54	54.3	46.0 - 62.4	131	59.6	43.0 - 74.2	33	57.4	51.2 - 63.3	218
f. Measured school’s compliance with district’s local wellness policy	58.6	46.3 - 69.9	55	49.9	42.0 - 57.7	131	54.8	38.4 - 70.2	33	52.9	46.7 - 59.0	219
g. Developed an action plan that describes steps to meet requirements of district’s local wellness policy	49.5	37.6 - 61.5	55	39.6	32.6 - 46.9	131	54.4	39.4 - 68.6	33	44.5	38.9 - 50.4	219

## ARIZONA

### 2024 School Health Profiles Report Weighted Principal Survey Results

3. Percentage of schools that have one or more than one group (e.g., school health council, committee, team) that offers guidance on the development of policies or coordinates activities on health topics.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
40.5	29.7 - 52.2	55	25.9	19.9 - 33.1	134	36.9	26.1 - 49.1	33	31.4	26.5 - 36.8	222

## ARIZONA

### 2024 School Health Profiles Report Weighted Principal Survey Results

4. Percentage of schools that have a school health council, committee, or team that did the following activities during the past year.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Identified student health needs based on a review of relevant data	61.3	42.1 - 77.5	22	73.9	59.9 - 84.4	33	90.4	56.4 - 98.6	11	73.0	62.8 - 81.2	66
b. Used district or school data to improve diversity, equity, inclusion, or accessibility (e.g., staffing, professional development, curriculum)	78.7	58.0 - 90.8	22	75.5	59.8 - 86.4	33	80.8	46.0 - 95.4	11	77.6	66.4 - 85.8	66
c. Recommended new or revised health and safety policies and activities to school administrators or the school improvement team	70.4	50.0 - 85.0	22	82.4	67.4 - 91.4	33	100.0	†	11	81.8	72.0 - 88.8	66
d. Sought funding or leveraged resources to support health and safety priorities for students and staff	57.5	38.8 - 74.3	22	51.1	34.3 - 67.7	33	54.1	31.2 - 75.4	11	53.8	42.5 - 64.7	66
e. Communicated the importance of health and safety policies and activities to district administrators, school administrators, parent-teacher groups, or community members	79.0	63.3 - 89.2	22	96.7	83.0 - 99.4	33	100.0	†	11	91.5	85.0 - 95.3	66
f. Reviewed health-related curricula or instructional materials	75.1	60.0 - 85.9	22	66.7	50.2 - 80.0	33	90.4	56.4 - 98.6	11	74.1	63.8 - 82.3	66
g. Provided input on or reviewed the school's Emergency Operations Plan (EOP) or similar plan	91.7	74.2 - 97.7	22	94.2	80.9 - 98.4	33	73.3	44.4 - 90.4	11	89.3	80.0 - 94.6	66

\*Among schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

## ARIZONA

### 2024 School Health Profiles Report Weighted Principal Survey Results

5. Percentage of schools that use the following types of security staff during the regular school day.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Security guards (private or school employees/contractors)	64.0	53.5 - 73.3	55	22.5	16.7 - 29.7	129	37.9	24.8 - 53.0	32	35.8	30.7 - 41.2	216
b. School resource officers (SROs)	48.9	39.0 - 58.8	56	39.6	31.9 - 47.8	132	39.2	25.8 - 54.5	32	41.9	36.2 - 47.9	220
c. Police officers other than SROs (i.e., county or local law enforcement)	21.4	13.7 - 31.8	55	10.6	6.4 - 17.0	128	27.2	15.0 - 44.2	32	16.1	12.1 - 21.2	215

## ARIZONA

### 2024 School Health Profiles Report Weighted Principal Survey Results

6. Percentage of schools that have taken any of the following actions related to before- or after-school programs.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Included before- or after-school settings as part of the School Improvement Plan	65.3	52.4 - 76.2	56	57.1	49.6 - 64.3	132	52.0	35.4 - 68.2	32	58.4	52.3 - 64.3	220
b. Encouraged before- or after-school program staff or leaders to participate in school health council, committee, or team meetings	53.0	40.2 - 65.5	56	33.2	26.2 - 41.1	132	47.0	31.5 - 63.2	32	40.6	34.7 - 46.7	220
c. Partnered with community-based organizations (e.g., Boys & Girls Clubs, YMCA, 4H Clubs) to provide students with before- or after-school programming	29.1	18.1 - 43.4	56	47.9	40.4 - 55.5	132	41.1	26.0 - 58.1	32	41.9	35.9 - 48.2	220

## ARIZONA

### 2024 School Health Profiles Report Weighted Principal Survey Results

---

7. Percentage of schools that have a student-led club that aims to create a safe, welcoming, and accepting school environment for all youth, regardless of sexual orientation or gender identity. These clubs sometimes are called Gay/Straight Alliances or Genders and Sexualities Alliances (GSAs).

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
44.0	34.2 - 54.2	55	17.0	12.4 - 22.8	132	37.5	23.8 - 53.6	32	27.2	22.8 - 32.2	219

## ARIZONA

### 2024 School Health Profiles Report Weighted Principal Survey Results

8. Percentage of schools that engage in the following practices related to lesbian, gay, bisexual, transgender, queer, or questioning (LGBTQ) youth.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Identify "safe spaces" (e.g., a counselor's office, designated classroom, student organization) where LGBTQ youth can receive support from administrators, teachers, or other school staff	87.5	77.0 - 93.6	55	75.2	67.6 - 81.4	130	90.3	74.6 - 96.7	30	80.7	75.4 - 85.1	215
b. Prohibit harassment based on a student's perceived or actual sexual orientation or gender identity	98.4	91.5 - 99.7	55	97.0	92.7 - 98.8	130	100.0	†	30	97.8	95.2 - 99.0	215
c. Encourage staff to attend professional development on safe and supportive school environments for all students, regardless of sexual orientation or gender identity	82.8	71.4 - 90.3	55	59.9	52.0 - 67.3	130	83.6	66.8 - 92.8	30	69.5	63.7 - 74.7	215
d. Facilitate access to providers not on school property who have experience in providing health services, including HIV/STI testing and counseling, to LGBTQ youth	45.5	33.2 - 58.3	54	31.9	24.9 - 39.9	130	56.6	41.6 - 70.4	30	39.2	33.4 - 45.3	214
e. Facilitate access to providers not on school property who have experience in providing social and psychological services to LGBTQ youth	54.2	41.0 - 66.8	54	43.9	35.8 - 52.4	129	62.9	50.3 - 73.9	30	49.5	43.2 - 55.8	213

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations



## ARIZONA

### 2024 School Health Profiles Report Weighted Principal Survey Results

9. Percentage of schools that have a student-led club specifically focused on creating a safe, welcoming, and accepting school environment for racial and ethnic minority students. These clubs sometimes are called Anti-racism Alliances or racial/ethnic affinity groups.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
38.5	27.3 - 51.0	55	12.1	7.6 - 18.7	131	29.6	18.5 - 43.9	30	21.6	17.1 - 27.0	216

## ARIZONA

### 2024 School Health Profiles Report Weighted Principal Survey Results

10. Percentage of schools that engaged in the following practices related to supporting racial/ethnic minority students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Designated staff member(s) or office for leading and coordinating diversity, equity, and inclusion activities	63.1	51.2 - 73.6	55	47.6	39.9 - 55.5	128	57.4	42.0 - 71.5	30	53.2	47.2 - 59.1	213
b. Provided diversity, equity, and inclusion activities led and coordinated by school staff	71.2	57.9 - 81.6	55	58.9	51.0 - 66.5	128	54.4	39.0 - 69.0	30	61.5	55.3 - 67.3	213
c. Examined relevant data to identify racial/ethnic disparities in disciplinary practices	55.4	42.0 - 68.0	55	68.0	61.6 - 73.9	128	63.9	48.0 - 77.2	30	64.1	58.4 - 69.4	213
d. Encouraged staff to attend professional development on reducing racial/ethnic disparities (e.g., unconscious or implicit bias training, anti-discrimination training)	65.0	53.7 - 74.9	55	48.0	40.0 - 56.1	128	67.4	50.7 - 80.7	30	55.5	49.5 - 61.4	213
e. Implemented restorative disciplinary practices (e.g., restorative circles, peer mediation)	68.2	55.4 - 78.8	55	75.5	68.3 - 81.6	128	75.1	62.1 - 84.8	30	73.6	67.9 - 78.5	213
f. Facilitated access to providers who have experience in providing social and psychological services to racial/ethnic minority youth	72.4	62.0 - 80.8	55	53.6	45.4 - 61.6	128	57.7	40.2 - 73.5	30	59.2	53.1 - 65.1	213

## ARIZONA

### 2024 School Health Profiles Report Weighted Principal Survey Results

11. Percentage of schools in which all staff received professional development on preventing, identifying, and responding to student bullying and sexual harassment, including electronic aggression, during the past year.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
82.3	71.5 - 89.5	55	81.3	74.1 - 86.9	128	83.0	64.7 - 92.8	30	81.8	76.4 - 86.2	213

## ARIZONA

### 2024 School Health Profiles Report Weighted Principal Survey Results

12. Percentage of schools that have a designated staff member to whom students can confidentially report student bullying and sexual harassment, including electronic aggression.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
94.4	85.2 - 98.0	55	94.0	88.9 - 96.9	127	93.3	78.6 - 98.2	30	94.0	90.3 - 96.4	212

## ARIZONA

### 2024 School Health Profiles Report Weighted Principal Survey Results

13. Percentage of schools that have written protocols for the following suicide prevention practices.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Assessing student suicide risk	79.5	66.3 - 88.4	55	86.4	81.2 - 90.4	125	86.6	75.9 - 93.0	29	84.6	80.0 - 88.3	209
b. Notifying parents when a student is at risk for suicide	79.8	67.9 - 88.1	55	90.2	84.7 - 93.9	125	96.8	82.9 - 99.5	29	88.4	84.0 - 91.7	209
c. Referring students at risk for suicide to mental health services	83.5	72.5 - 90.7	55	87.2	81.6 - 91.3	126	96.8	82.9 - 99.5	29	87.6	83.3 - 91.0	210
d. Responding to a suicide attempt at school	73.8	61.5 - 83.2	55	80.1	73.4 - 85.4	126	89.9	73.5 - 96.6	29	79.9	74.6 - 84.3	210
e. Supporting students returning to school after a suicide attempt	74.6	61.5 - 84.3	55	71.3	64.8 - 77.1	125	93.4	78.4 - 98.2	29	75.5	70.2 - 80.1	209
f. Responding to the death of a student or staff member from suicide	68.9	55.0 - 80.0	55	68.2	61.3 - 74.3	125	85.2	67.5 - 94.1	29	70.9	65.2 - 76.0	209

## ARIZONA

### 2024 School Health Profiles Report Weighted Principal Survey Results

14. Percentage of schools that taught a required physical education course in each of the following grades.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Grade 6	§	§	§	85.4	78.1 - 90.6	117	-	-	16	85.1	78.3 - 90.0	133
b. Grade 7	§	§	§	79.4	72.4 - 85.1	125	73.4	56.9 - 85.3	23	78.4	72.1 - 83.6	148
c. Grade 8	§	§	§	78.8	71.6 - 84.5	125	73.4	56.9 - 85.3	23	77.9	71.4 - 83.2	148
d. Grade 9	64.0	51.4 - 74.9	53	-	-	1	80.0	66.9 - 88.7	26	69.7	60.4 - 77.7	80
e. Grade 10	42.3	31.7 - 53.7	52	§	§	§	52.7	35.7 - 69.0	26	45.9	36.7 - 55.4	78
f. Grade 11	40.5	29.4 - 52.8	52	§	§	§	45.2	28.5 - 63.0	24	42.1	32.6 - 52.2	76
g. Grade 12	38.7	27.2 - 51.5	52	§	§	§	42.8	25.5 - 62.1	23	40.0	30.2 - 50.7	75

\*Among schools with students in that grade.

- Results are suppressed due to insufficient number of respondents in subgroup.

§ Grade is not applicable for type of school.

N = Unweighted number of observations

## ARIZONA

### 2024 School Health Profiles Report Weighted Principal Survey Results

15. Percentage of schools in which the following types of staff attended professional development related to physical education or other strategies for integrating more physical activity into the school day during the past year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Physical education teachers or specialists	47.7	38.1 - 57.4	55	75.0	68.7 - 80.4	128	68.8	51.0 - 82.4	29	66.8	61.7 - 71.5	212
b. Classroom teachers	34.0	24.7 - 44.7	55	34.1	27.1 - 41.9	127	26.9	14.0 - 45.4	29	33.0	27.6 - 38.9	211
c. Other school staff	23.4	14.7 - 35.2	55	33.5	26.8 - 41.0	127	30.6	18.6 - 46.0	29	30.4	25.3 - 36.1	211

## ARIZONA

### 2024 School Health Profiles Report Weighted Principal Survey Results

16. Percentage of schools that engage in the following physical education practices.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Provide physical education teachers with a written physical education curriculum that aligns with national standards for physical education	66.6	55.2 - 76.3	54	74.2	66.6 - 80.6	126	70.2	54.9 - 82.1	29	71.6	65.9 - 76.7	209
b. Require physical education teachers to follow a written physical education curriculum	64.5	52.6 - 74.8	54	66.3	58.8 - 73.0	126	70.2	54.9 - 82.1	29	66.4	60.7 - 71.7	209
c. Allow the use of waivers, exemptions, or substitutions for physical education requirements for one grading period or longer	63.2	49.9 - 74.7	54	52.9	44.9 - 60.8	125	59.0	43.2 - 73.1	29	56.5	50.3 - 62.6	208
d. Allow teachers to exclude students from physical education to punish them for inappropriate behavior or failure to complete class work in another class	14.6	7.7 - 26.0	54	8.8	4.9 - 15.1	126	11.4	3.9 - 29.1	29	10.7	7.2 - 15.6	209
e. Require physical education teachers to be certified, licensed, or endorsed by the state in physical education	58.6	47.2 - 69.1	53	71.5	65.7 - 76.6	126	55.5	39.9 - 70.1	29	65.7	60.6 - 70.4	208
f. Limit physical education class sizes so that they are the same size as other subject areas	52.1	39.4 - 64.6	53	75.9	68.8 - 81.8	125	67.4	53.8 - 78.6	29	68.4	62.6 - 73.6	207
g. Have a dedicated budget for physical education materials and equipment	65.4	57.0 - 72.9	54	76.3	68.5 - 82.6	126	83.9	66.8 - 93.1	29	74.5	69.2 - 79.3	209
h. Provide adapted physical education (i.e., special courses separate from regular physical education courses) for students with disabilities as appropriate	57.4	45.7 - 68.3	54	66.7	59.1 - 73.4	125	72.6	54.9 - 85.2	29	65.1	59.2 - 70.5	208
i. Include students with disabilities in regular physical education courses as appropriate	85.2	73.5 - 92.2	53	98.6	94.9 - 99.6	125	97.2	84.8 - 99.5	29	94.9	91.3 - 97.0	207



## ARIZONA

### 2024 School Health Profiles Report Weighted Principal Survey Results

17. Percentage of schools in which students participate in physical activity in classrooms during the school day outside of physical education.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
35.5	26.8 - 45.4	55	80.2	74.5 - 85.0	127	50.5	34.7 - 66.2	29	63.9	59.1 - 68.4	211

## ARIZONA

### 2024 School Health Profiles Report Weighted Principal Survey Results

18. Percentage of schools that offer opportunities for all students to be physically active during the school day, such as recess, lunchtime intramural activities, or physical activity clubs.\*

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
70.7	60.6 - 79.1	55	99.1	94.9 - 99.8	126	86.9	71.0 - 94.7	29	89.7	86.0 - 92.5	210

\*Not including physical education and classroom physical activity.  
N = Unweighted number of observations

## ARIZONA

### 2024 School Health Profiles Report Weighted Principal Survey Results

19. Percentage of schools that offer interscholastic sports to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
60.5	48.8 - 71.2	54	86.6	81.4 - 90.5	125	88.1	77.4 - 94.1	29	79.9	75.3 - 83.8	208

## ARIZONA

### 2024 School Health Profiles Report Weighted Principal Survey Results

20. Percentage of schools that offer opportunities for students to participate in physical activity through organized physical activities or access to facilities or equipment for physical activity during the following times.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Before the school day	46.6	34.6 - 59.0	54	48.8	41.4 - 56.3	126	60.1	48.6 - 70.6	29	49.9	44.2 - 55.6	209
b. After the school day	78.2	67.7 - 85.9	55	88.8	82.8 - 92.9	126	90.5	75.4 - 96.8	29	86.2	81.6 - 89.8	210

## ARIZONA

### 2024 School Health Profiles Report Weighted Principal Survey Results

21. Percentage of schools that have a joint use agreement for shared use of the following school or community facilities.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Physical activity or sports facilities	55.0	41.1 - 68.1	55	57.6	50.3 - 64.5	124	63.5	50.8 - 74.6	29	57.8	51.8 - 63.5	208
b. Kitchen facilities and equipment	18.1	10.5 - 29.3	55	24.3	18.3 - 31.5	124	21.8	10.5 - 39.9	29	22.2	17.5 - 27.7	208
c. Gardens (e.g., herb or vegetable plots)	18.1	10.1 - 30.1	55	19.6	13.7 - 27.3	123	19.4	9.1 - 36.8	29	19.2	14.5 - 24.9	207

## ARIZONA

### 2024 School Health Profiles Report Weighted Principal Survey Results

22. Percentage of schools that have a written plan for providing opportunities for students to be physically active before, during, and after school.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
15.2	7.9 - 27.3	55	14.4	9.4 - 21.5	125	26.5	13.5 - 45.4	29	16.4	12.0 - 22.0	209

## ARIZONA

### 2024 School Health Profiles Report Weighted Principal Survey Results

23. Percentage of schools that have assessed opportunities available to students to be physically active before, during, or after school.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
48.5	36.0 - 61.3	55	60.3	52.5 - 67.5	126	52.2	37.5 - 66.6	28	55.9	49.9 - 61.9	209

## ARIZONA

### 2024 School Health Profiles Report Weighted Principal Survey Results

24. Percentage of schools that have adopted a policy prohibiting tobacco use.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
90.3	79.3 - 95.8	55	93.7	88.3 - 96.7	126	96.6	82.0 - 99.4	29	93.2	89.1 - 95.8	210



## ARIZONA

### 2024 School Health Profiles Report Weighted Principal Survey Results

25A. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for students during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Cigarettes	88.5	77.2 - 94.6	55	92.7	87.0 - 96.0	125	93.4	78.7 - 98.2	29	91.7	87.3 - 94.6	209
b. Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus, dissolvable tobacco)	88.5	77.2 - 94.6	55	91.8	85.8 - 95.4	125	93.4	78.7 - 98.2	29	91.2	86.7 - 94.2	209
c. Cigars	88.3	76.8 - 94.6	54	90.5	84.3 - 94.4	125	93.4	78.7 - 98.2	29	90.3	85.7 - 93.6	208
d. Pipes	88.5	77.2 - 94.6	55	91.4	85.5 - 95.0	125	90.2	74.7 - 96.6	29	90.4	85.9 - 93.6	209
e. Electronic vapor products (e.g., e-cigarettes, vapes, vape pens, e-hookahs, mods, or brands such as JUUL or Vuse)	88.5	77.2 - 94.6	55	92.7	87.0 - 96.0	125	93.4	78.7 - 98.2	29	91.7	87.3 - 94.6	209

## ARIZONA

### 2024 School Health Profiles Report Weighted Principal Survey Results

25B. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for faculty/staff during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Cigarettes	83.5	71.2 - 91.2	55	92.7	87.0 - 96.0	125	93.4	78.7 - 98.2	29	90.3	85.7 - 93.6	209
b. Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus, dissolvable tobacco)	83.5	71.2 - 91.2	55	91.8	85.8 - 95.4	125	93.4	78.7 - 98.2	29	89.8	85.1 - 93.1	209
c. Cigars	83.5	71.2 - 91.2	55	90.9	84.9 - 94.6	125	93.4	78.7 - 98.2	29	89.3	84.5 - 92.7	209
d. Pipes	83.5	71.2 - 91.2	55	90.9	84.9 - 94.6	125	90.2	74.7 - 96.6	29	88.8	84.0 - 92.3	209
e. Electronic vapor products (e.g., e-cigarettes, vapes, vape pens, e-hookahs, mods, or brands such as JUUL or Vuse)	83.5	71.2 - 91.2	55	92.7	87.0 - 96.0	125	93.4	78.7 - 98.2	29	90.3	85.7 - 93.6	209

## ARIZONA

### 2024 School Health Profiles Report Weighted Principal Survey Results

25C. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for visitors during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Cigarettes	81.9	70.4 - 89.6	55	90.6	84.6 - 94.5	125	93.4	78.7 - 98.2	29	88.7	84.1 - 92.1	209
b. Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus, dissolvable tobacco)	77.9	65.2 - 86.8	55	88.8	82.3 - 93.1	125	93.4	78.7 - 98.2	29	86.5	81.5 - 90.4	209
c. Cigars	81.9	70.4 - 89.6	55	89.3	83.0 - 93.4	125	93.4	78.7 - 98.2	29	87.9	83.2 - 91.5	209
d. Pipes	81.9	70.4 - 89.6	55	89.3	83.0 - 93.4	125	90.2	74.7 - 96.6	29	87.4	82.6 - 91.1	209
e. Electronic vapor products (e.g., e-cigarettes, vapes, vape pens, e-hookahs, mods, or brands such as JUUL or Vuse)	80.1	68.2 - 88.3	55	90.6	84.6 - 94.5	125	93.4	78.7 - 98.2	29	88.2	83.5 - 91.7	209

## ARIZONA

### 2024 School Health Profiles Report Weighted Principal Survey Results

26A. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. During school hours	88.7	77.5 - 94.7	55	92.7	87.0 - 96.0	123	96.5	82.3 - 99.4	28	92.2	87.9 - 95.0	206
b. During non-school hours	77.5	65.7 - 86.1	54	79.2	71.6 - 85.1	122	86.7	70.5 - 94.7	28	79.8	74.3 - 84.5	204

## ARIZONA

### 2024 School Health Profiles Report Weighted Principal Survey Results

26B. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. During school hours	83.7	72.7 - 90.8	55	91.8	85.8 - 95.4	123	96.5	82.3 - 99.4	28	90.3	85.9 - 93.4	206
b. During non-school hours	70.4	60.6 - 78.6	54	72.1	63.9 - 79.0	122	79.0	61.2 - 89.9	28	72.6	66.8 - 77.8	204

## ARIZONA

### 2024 School Health Profiles Report Weighted Principal Survey Results

26C. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. During school hours	83.7	72.7 - 90.8	55	89.7	83.4 - 93.8	123	96.5	82.3 - 99.4	28	89.0	84.5 - 92.4	206
b. During non-school hours	68.6	58.3 - 77.4	54	72.1	63.9 - 79.0	122	79.0	61.2 - 89.9	28	72.2	66.3 - 77.4	204

## ARIZONA

### 2024 School Health Profiles Report Weighted Principal Survey Results

27A. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. In school buildings	90.3	79.3 - 95.8	55	92.5	87.2 - 95.8	124	96.6	82.0 - 99.4	29	92.5	88.5 - 95.3	208
b. Outside on school grounds, including parking lots and playing fields	86.8	75.3 - 93.4	55	92.5	87.2 - 95.8	124	96.6	82.0 - 99.4	29	91.6	87.4 - 94.5	208
c. On school buses or other vehicles used to transport students	88.4	76.9 - 94.6	55	91.5	85.7 - 95.1	124	96.6	82.0 - 99.4	29	91.4	87.0 - 94.4	208
d. At off-campus, school-sponsored events	83.3	70.9 - 91.1	55	90.1	84.1 - 94.1	124	93.1	77.9 - 98.1	29	88.7	83.9 - 92.3	208

## ARIZONA

### 2024 School Health Profiles Report Weighted Principal Survey Results

27B. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. In school buildings	88.7	77.5 - 94.7	55	93.0	87.5 - 96.2	123	96.6	82.0 - 99.4	29	92.4	88.2 - 95.2	207
b. Outside on school grounds, including parking lots and playing fields	85.3	73.5 - 92.3	55	93.0	87.5 - 96.2	123	93.4	78.9 - 98.2	29	91.0	86.5 - 94.0	207
c. On school buses or other vehicles used to transport students	86.8	75.1 - 93.5	55	91.9	86.0 - 95.5	123	96.6	82.0 - 99.4	29	91.2	86.8 - 94.3	207
d. At off-campus, school-sponsored events	81.8	70.2 - 89.5	55	84.8	77.4 - 90.1	123	93.1	77.9 - 98.1	29	85.2	79.9 - 89.3	207



## ARIZONA

### 2024 School Health Profiles Report Weighted Principal Survey Results

27C. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. In school buildings	88.7	77.5 - 94.7	55	91.9	86.5 - 95.3	123	96.6	82.0 - 99.4	29	91.8	87.6 - 94.6	207
b. Outside on school grounds, including parking lots and playing fields	83.5	71.3 - 91.1	55	91.9	86.5 - 95.3	123	93.4	78.9 - 98.2	29	89.9	85.3 - 93.1	207
c. On school buses or other vehicles used to transport students	86.8	75.1 - 93.5	55	90.9	85.0 - 94.6	123	96.6	82.0 - 99.4	29	90.6	86.2 - 93.8	207
d. At off-campus, school-sponsored events	74.2	61.1 - 84.0	55	76.0	67.9 - 82.6	122	78.6	59.9 - 90.0	29	75.9	69.7 - 81.2	206

## ARIZONA

### 2024 School Health Profiles Report Weighted Principal Survey Results

27N. Percentage of schools that follow a policy that mandates a “tobacco-free environment.” A “tobacco-free environment” is one that prohibits tobacco use by students, staff, and visitors in school buildings, at school functions, in school vehicles, on school grounds, and at off-site school events, applicable 24 hours a day and seven days a week.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
55.9	44.2 - 67.0	54	59.4	50.7 - 67.6	122	64.9	46.7 - 79.6	28	59.3	52.8 - 65.5	204

## ARIZONA

### 2024 School Health Profiles Report Weighted Principal Survey Results

TOBVAPE. Percentage of schools that follow a policy that mandates a “tobacco-free environment” including prohibiting electronic vapor products. A “tobacco-free environment” is one that prohibits tobacco and EVP use by students, staff, and visitors in school buildings, at school functions, in school vehicles, on school grounds, and at off-site school events, applicable 24 hours a day and seven days a week.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
55.9	44.2 - 67.0	54	59.4	50.7 - 67.6	122	64.9	46.7 - 79.6	28	59.3	52.8 - 65.5	204

## ARIZONA

### 2024 School Health Profiles Report Weighted Principal Survey Results

28\_1. (Never) Percentage of schools that never take the following actions when students are caught using electronic vapor products.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Issue a warning to the student	29.3	19.5 - 41.5	54	29.4	22.6 - 37.2	122	27.3	15.1 - 44.1	29	29.0	23.7 - 35.0	205
b. Confiscate product	0.0	†	55	1.6	0.5 - 5.6	122	0.0	†	29	0.9	0.3 - 3.2	206
c. Notify parents or guardians	0.0	†	55	0.9	0.2 - 5.3	122	0.0	†	29	0.5	0.1 - 3.1	206
d. Develop a behavior contract with the student	1.8	0.3 - 9.9	55	10.5	6.4 - 16.8	121	11.1	3.8 - 28.4	29	8.2	5.3 - 12.5	205
e. Refer to a school counselor	11.8	6.4 - 20.6	55	14.9	10.7 - 20.3	122	14.8	6.0 - 32.2	29	14.1	10.6 - 18.3	206
f. Refer to a school administrator	0.0	†	55	1.6	0.5 - 5.6	122	0.0	†	29	0.9	0.3 - 3.2	206
g. Refer to an assistance, education, or cessation program	9.4	4.2 - 19.8	54	19.6	14.7 - 25.7	121	31.3	18.3 - 48.0	29	18.6	14.6 - 23.4	204
h. Refer to legal authorities (e.g., school resource officer)	16.4	9.6 - 26.8	54	8.6	5.1 - 14.2	122	7.5	2.0 - 24.1	29	10.6	7.4 - 14.9	205
i. Issue an in-school suspension (half day or full day)	29.4	19.2 - 42.2	54	15.1	9.8 - 22.6	121	24.9	13.1 - 42.2	29	20.5	15.6 - 26.3	204
j. Issue an after-school or weekend detention	66.7	56.0 - 75.9	55	63.2	55.6 - 70.3	120	54.6	35.4 - 72.6	29	62.9	56.8 - 68.5	204
k. Issue an out-of-school suspension	3.3	0.9 - 11.1	55	5.2	2.7 - 9.5	122	3.2	0.6 - 16.3	29	4.4	2.5 - 7.4	206
l. Expel from school	41.2	32.2 - 50.8	54	57.1	49.2 - 64.7	122	37.2	24.5 - 51.8	29	49.8	44.2 - 55.4	205

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

## ARIZONA

### 2024 School Health Profiles Report Weighted Principal Survey Results

28\_2. (Rarely) Percentage of schools that rarely take the following actions when students are caught using electronic vapor products.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Issue a warning to the student	11.2	5.7 - 20.9	54	8.1	4.4 - 14.4	122	8.2	2.5 - 23.8	29	9.0	5.9 - 13.4	205
b. Confiscate product	0.0	†	55	0.0	†	122	0.0	†	29	0.0	†	206
c. Notify parents or guardians	0.0	†	55	0.0	†	122	0.0	†	29	0.0	†	206
d. Develop a behavior contract with the student	13.4	6.6 - 25.1	55	10.2	6.2 - 16.4	121	20.0	10.3 - 35.4	29	12.6	8.9 - 17.4	205
e. Refer to a school counselor	7.1	2.9 - 16.2	55	4.5	2.4 - 8.1	122	9.9	3.5 - 24.9	29	6.0	3.8 - 9.4	206
f. Refer to a school administrator	0.0	†	55	0.0	†	122	0.0	†	29	0.0	†	206
g. Refer to an assistance, education, or cessation program	16.5	8.9 - 28.5	54	18.2	13.6 - 24.0	121	24.0	11.8 - 42.7	29	18.7	14.5 - 23.7	204
h. Refer to legal authorities (e.g., school resource officer)	15.9	8.6 - 27.7	54	16.6	11.7 - 23.0	122	28.2	14.7 - 47.4	29	18.2	13.8 - 23.6	205
i. Issue an in-school suspension (half day or full day)	9.3	4.1 - 19.5	54	11.2	6.9 - 17.7	121	7.0	1.9 - 22.4	29	10.0	6.8 - 14.6	204
j. Issue an after-school or weekend detention	13.1	6.6 - 24.4	55	16.5	11.6 - 23.0	120	14.9	6.5 - 30.7	29	15.3	11.4 - 20.3	204
k. Issue an out-of-school suspension	9.0	4.0 - 19.1	55	3.6	1.6 - 7.9	122	0.0	†	29	4.5	2.5 - 7.9	206
l. Expel from school	37.5	27.3 - 49.0	54	22.7	16.4 - 30.6	122	31.6	18.0 - 49.3	29	28.0	22.8 - 34.0	205

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

## ARIZONA

### 2024 School Health Profiles Report Weighted Principal Survey Results

28\_3. (Sometimes) Percentage of schools that sometimes take the following actions when students are caught using electronic vapor products.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Issue a warning to the student	11.4	6.3 - 19.8	54	8.6	5.0 - 14.3	122	16.2	6.8 - 33.7	29	10.5	7.3 - 14.8	205
b. Confiscate product	1.9	0.3 - 10.5	55	0.0	†	122	0.0	†	29	0.5	0.1 - 3.0	206
c. Notify parents or guardians	1.6	0.3 - 8.7	55	0.0	†	122	0.0	†	29	0.4	0.1 - 2.5	206
d. Develop a behavior contract with the student	40.3	30.8 - 50.6	55	48.6	40.5 - 56.8	121	29.5	16.9 - 46.2	29	43.5	37.7 - 49.4	205
e. Refer to a school counselor	43.4	31.9 - 55.5	55	41.7	34.8 - 49.0	122	37.1	22.2 - 55.0	29	41.5	35.7 - 47.5	206
f. Refer to a school administrator	7.9	4.1 - 14.5	55	0.5	0.1 - 3.0	122	0.0	†	29	2.4	1.3 - 4.5	206
g. Refer to an assistance, education, or cessation program	39.1	28.9 - 50.2	54	39.7	32.5 - 47.4	121	33.9	20.8 - 50.1	29	38.7	33.1 - 44.5	204
h. Refer to legal authorities (e.g., school resource officer)	28.5	18.2 - 41.6	54	42.5	34.3 - 51.1	122	50.7	34.9 - 66.4	29	40.0	33.8 - 46.4	205
i. Issue an in-school suspension (half day or full day)	35.9	24.8 - 48.7	54	39.4	31.3 - 48.2	121	33.5	20.7 - 49.4	29	37.6	31.5 - 44.1	204
j. Issue an after-school or weekend detention	9.2	4.1 - 19.4	55	12.8	8.2 - 19.6	120	19.9	9.3 - 37.7	29	12.9	9.1 - 17.9	204
k. Issue an out-of-school suspension	30.8	20.0 - 44.3	55	40.0	32.7 - 47.8	122	40.7	27.4 - 55.5	29	37.6	31.9 - 43.7	206
l. Expel from school	10.9	5.3 - 21.4	54	17.8	12.9 - 23.9	122	31.2	18.4 - 47.8	29	18.0	13.9 - 22.8	205

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

## ARIZONA

### 2024 School Health Profiles Report Weighted Principal Survey Results

28\_4. (Always or almost always) Percentage of schools that always or almost always take the following actions when students are caught using electronic vapor products.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Issue a warning to the student	48.1	37.5 - 58.9	54	53.9	45.3 - 62.3	122	48.4	30.7 - 66.4	29	51.5	45.1 - 57.9	205
b. Confiscate product	98.1	89.5 - 99.7	55	98.4	94.4 - 99.5	122	100.0	†	29	98.6	96.0 - 99.5	206
c. Notify parents or guardians	98.4	91.3 - 99.7	55	99.1	94.7 - 99.8	122	100.0	†	29	99.0	96.7 - 99.7	206
d. Develop a behavior contract with the student	44.5	32.8 - 56.8	55	30.6	24.5 - 37.5	121	39.4	24.6 - 56.4	29	35.7	30.4 - 41.5	205
e. Refer to a school counselor	37.7	26.4 - 50.6	55	38.9	31.9 - 46.4	122	38.1	21.4 - 58.2	29	38.5	32.5 - 44.7	206
f. Refer to a school administrator	92.1	85.5 - 95.9	55	97.9	94.0 - 99.3	122	100.0	†	29	96.6	94.1 - 98.1	206
g. Refer to an assistance, education, or cessation program	35.0	25.0 - 46.5	54	22.4	16.5 - 29.8	121	10.8	3.9 - 26.4	29	24.1	19.4 - 29.5	204
h. Refer to legal authorities (e.g., school resource officer)	39.1	27.4 - 52.3	54	32.3	25.0 - 40.6	122	13.6	5.2 - 30.9	29	31.3	25.6 - 37.6	205
i. Issue an in-school suspension (half day or full day)	25.4	16.4 - 37.4	54	34.2	26.7 - 42.7	121	34.6	20.3 - 52.4	29	31.9	26.2 - 38.2	204
j. Issue an after-school or weekend detention	11.1	5.2 - 22.0	55	7.4	4.1 - 13.2	120	10.5	3.6 - 27.2	29	8.9	5.8 - 13.4	204
k. Issue an out-of-school suspension	56.9	43.7 - 69.2	55	51.2	43.3 - 59.1	122	56.1	41.6 - 69.7	29	53.5	47.3 - 59.6	206
l. Expel from school	10.3	5.3 - 19.0	54	2.4	0.9 - 6.6	122	0.0	†	29	4.2	2.4 - 7.2	205

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

## ARIZONA

### 2024 School Health Profiles Report Weighted Principal Survey Results

29. Percentage of schools that never, rarely, sometimes, or always or almost always offer fruits or non-fried vegetables at school celebrations when foods or beverages are offered.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Foods or beverages are not offered at school celebrations	3.6	1.0 - 11.9	55	6.5	3.8 - 10.9	123	3.2	0.6 - 16.3	29	5.2	3.2 - 8.3	207
b. Never	1.8	0.3 - 9.9	55	0.9	0.2 - 5.2	123	0.0	†	29	1.0	0.3 - 3.5	207
c. Rarely	11.4	5.5 - 22.1	55	15.6	10.6 - 22.3	123	0.0	†	29	12.1	8.6 - 16.7	207
d. Sometimes	40.8	27.8 - 55.3	55	42.7	35.1 - 50.7	123	59.8	43.3 - 74.3	29	44.8	38.5 - 51.2	207
e. Always or almost always	42.5	30.3 - 55.7	55	34.3	27.1 - 42.4	123	37.0	22.9 - 53.8	29	36.9	31.0 - 43.2	207

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations



## ARIZONA

### 2024 School Health Profiles Report Weighted Principal Survey Results

30. Percentage of schools in which students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
74.2	63.2 - 82.8	55	31.6	24.7 - 39.5	123	41.6	27.6 - 57.1	29	44.7	39.0 - 50.4	207

## ARIZONA

### 2024 School Health Profiles Report Weighted Principal Survey Results

31. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Chocolate candy	14.8	7.8 - 26.1	54	2.7	1.0 - 7.5	123	6.4	1.8 - 20.7	29	6.5	4.0 - 10.5	206
b. Other kinds of candy	17.1	10.5 - 26.5	54	3.6	1.5 - 8.5	123	13.7	5.3 - 31.1	29	8.7	5.9 - 12.8	206
c. Salty snacks that are not low in fat (e.g., regular potato chips)	29.8	21.2 - 40.1	54	15.8	10.6 - 22.9	123	27.9	13.7 - 48.5	29	21.4	16.7 - 27.0	206
d. Low sodium or "no added salt" pretzels, crackers, or chips	51.6	38.8 - 64.2	54	23.0	16.7 - 30.8	123	38.4	24.0 - 55.2	29	33.0	27.3 - 39.2	206
e. Cookies, crackers, cakes, pastries, or other baked goods that are not low in fat	31.3	21.8 - 42.7	54	13.6	8.9 - 20.3	123	28.8	16.0 - 46.2	29	20.7	16.2 - 26.0	206
f. Ice cream or frozen yogurt that is not low in fat	5.4	1.9 - 14.2	54	9.8	6.0 - 15.6	123	9.6	3.3 - 24.9	29	8.6	5.7 - 12.7	206
g. 2% or whole milk (plain or flavored)	27.9	18.4 - 39.8	54	13.2	8.7 - 19.6	123	23.6	12.8 - 39.3	29	18.7	14.4 - 23.9	206
h. Nonfat or 1% (low-fat) milk (plain)	27.7	19.1 - 38.4	54	18.4	13.1 - 25.2	123	19.2	12.7 - 28.1	29	21.0	16.8 - 25.9	206
i. Water ices or frozen slushes that do not contain juice	15.5	8.1 - 27.7	54	12.2	8.2 - 17.9	123	9.6	5.2 - 17.2	29	12.7	9.3 - 17.2	206
j. Soda pop or fruit drinks that are not 100% juice	25.8	16.2 - 38.6	54	6.9	3.7 - 12.7	123	17.8	9.8 - 30.2	29	13.6	9.9 - 18.5	206
k. Sports drinks (e.g., Gatorade)	49.6	38.5 - 60.7	53	8.6	4.8 - 14.7	123	31.1	19.2 - 46.2	29	22.8	18.5 - 27.8	205
l. Energy drinks (e.g., Red Bull, Monster)	14.9	8.5 - 24.8	54	0.9	0.2 - 5.2	123	0.0	†	29	4.5	2.7 - 7.6	206

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

## ARIZONA

### 2024 School Health Profiles Report Weighted Principal Survey Results

31. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
m. Plain water, with or without carbonation (e.g., Dasani, Aquafina, Smart Water)	68.3	57.2 - 77.7	54	28.5	21.9 - 36.2	123	37.5	25.5 - 51.3	29	40.6	35.2 - 46.2	206
n. Calorie-free, flavored water, with or without carbonation (e.g., Dasani Flavors, Aquafina FlavorSplash)	33.7	23.2 - 46.2	54	11.2	6.8 - 17.9	123	24.5	15.9 - 35.8	29	19.2	15.0 - 24.4	206
o. 100% fruit or vegetable juice	33.5	22.8 - 46.2	52	17.2	11.7 - 24.6	123	21.3	12.0 - 34.9	29	22.1	17.3 - 27.7	204
p. Foods or beverages containing caffeine	24.0	15.4 - 35.5	54	1.8	0.5 - 6.2	123	10.5	3.6 - 27.2	29	9.1	6.2 - 13.2	206
q. Fruits (not fruit juice)	30.8	22.1 - 41.2	54	16.5	10.9 - 24.3	123	26.5	16.3 - 40.1	29	21.9	17.3 - 27.3	206
r. Non-fried vegetables (not vegetable juice)	22.1	14.4 - 32.4	54	13.3	8.3 - 20.6	123	23.3	12.7 - 39.0	29	17.2	12.9 - 22.4	206

## ARIZONA

### 2024 School Health Profiles Report Weighted Principal Survey Results

32. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Priced nutritious foods and beverages at a lower cost while increasing the price of less nutritious foods and beverages	16.2	8.9 - 27.6	53	16.8	11.8 - 23.4	122	6.4	1.8 - 20.8	29	15.1	11.2 - 19.9	204
b. Collected suggestions from students, families, and school staff on nutritious food preferences and strategies to promote healthy eating	58.3	46.0 - 69.6	54	33.6	26.5 - 41.6	121	49.3	34.0 - 64.9	29	42.7	36.9 - 48.7	204
c. Provided information to students or families on the nutrition and caloric content of foods available	46.8	35.4 - 58.5	53	54.6	46.0 - 62.9	121	60.4	41.7 - 76.6	29	53.4	46.9 - 59.8	203
d. Conducted taste tests to determine food preferences for nutritious items	33.5	22.6 - 46.6	55	32.5	25.4 - 40.4	121	38.5	24.8 - 54.5	29	33.7	28.0 - 39.8	205
e. Served locally or regionally grown foods in the cafeteria or classrooms	30.9	19.7 - 45.1	53	37.5	29.6 - 46.3	121	14.6	5.7 - 32.8	29	32.3	26.3 - 38.9	203
f. Planted a school food or vegetable garden	30.9	20.8 - 43.2	54	44.2	36.5 - 52.3	122	43.1	31.7 - 55.2	29	40.5	34.8 - 46.4	205
g. Placed fruits and vegetables near the cafeteria cashier, where they are easy to access	71.6	59.7 - 81.0	54	68.4	61.6 - 74.4	121	65.9	49.2 - 79.4	29	68.8	63.3 - 73.9	204
h. Used attractive displays for fruits and vegetables in the cafeteria	55.9	43.8 - 67.3	55	61.2	53.3 - 68.5	122	52.5	34.3 - 70.1	29	58.4	52.1 - 64.4	206
i. Offered a self-serve salad bar to students	42.7	33.1 - 52.8	55	57.5	49.3 - 65.3	122	32.7	20.5 - 47.7	29	49.7	43.9 - 55.5	206

## ARIZONA

### 2024 School Health Profiles Report Weighted Principal Survey Results

32. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
j. Provided students with at least 20 minutes to eat lunch after they receive their meal	91.6	82.3 - 96.2	55	93.5	88.0 - 96.6	123	90.5	75.2 - 96.7	29	92.5	88.5 - 95.2	207
k. Encouraged students to drink plain water	93.1	84.2 - 97.2	55	96.8	92.4 - 98.7	123	86.7	69.6 - 94.8	29	94.3	90.5 - 96.6	207
l. Prohibited school staff from giving students food or food coupons as a reward for good behavior or good academic performance	23.5	14.5 - 35.7	53	30.0	23.4 - 37.6	121	42.6	27.8 - 59.0	29	30.2	24.9 - 36.1	203
m. Prohibited less nutritious foods and beverages (e.g., candy, baked goods) from being sold for fundraising purposes	34.0	24.1 - 45.4	53	39.1	31.5 - 47.4	123	34.8	20.4 - 52.7	29	37.1	31.3 - 43.3	205

## ARIZONA

### 2024 School Health Profiles Report Weighted Principal Survey Results

33. Percentage of schools that prohibit advertisements for candy, fast food restaurants, or soft drinks in the following locations.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. In school buildings	70.0	56.8 - 80.5	53	71.2	63.0 - 78.3	123	72.9	57.9 - 84.0	29	71.2	65.0 - 76.6	205
b. On school grounds including on the outside of the school building, on playing fields, or other areas of the campus	64.4	51.3 - 75.7	53	67.8	59.5 - 75.1	122	69.7	56.4 - 80.3	29	67.2	61.0 - 72.9	204
c. On school buses or other vehicles used to transport students	70.4	57.4 - 80.8	53	71.0	62.8 - 78.1	121	80.2	65.3 - 89.7	29	72.3	66.1 - 77.7	203
d. In school publications (e.g., newsletters, newspapers, web sites, other school publications)	61.1	47.6 - 73.1	53	63.6	54.9 - 71.5	120	70.1	54.9 - 81.8	29	63.9	57.4 - 70.0	202
e. In curricula or other educational materials (including assignment books, school supplies, book covers, and electronic media)	61.1	49.4 - 71.6	53	67.0	58.2 - 74.7	122	72.9	59.3 - 83.2	29	66.3	60.1 - 72.0	204

## ARIZONA

### 2024 School Health Profiles Report Weighted Principal Survey Results

34. Percentage of schools that permit students to have a drinking water bottle with them during the school day.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Yes, in all locations	98.2	90.1 - 99.7	55	95.2	90.3 - 97.7	124	93.3	78.4 - 98.2	29	95.7	92.4 - 97.7	208
b. Yes, in certain locations	1.8	0.3 - 9.9	55	2.4	0.9 - 6.5	124	3.5	0.6 - 18.4	29	2.4	1.1 - 5.2	208
c. No	0.0	†	55	2.4	0.8 - 6.5	124	3.2	0.5 - 17.1	29	1.9	0.8 - 4.5	208

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

## ARIZONA

### 2024 School Health Profiles Report Weighted Principal Survey Results

34N. Percentage of schools that permit students to have a drinking water bottle with them in either all locations or certain locations during the school day.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
100.0	†	55	97.6	93.5 - 99.2	124	96.8	82.9 - 99.5	29	98.1	95.5 - 99.2	208

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations



## ARIZONA

### 2024 School Health Profiles Report Weighted Principal Survey Results

35. Percentage of schools that offer a free source of drinking water in the following locations.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Cafeteria during breakfast	97.2	85.2 - 99.5	45	97.5	93.3 - 99.1	112	96.1	79.7 - 99.4	26	97.2	94.0 - 98.8	183
b. Cafeteria during lunch	97.2	85.2 - 99.5	45	97.5	93.3 - 99.1	112	96.1	79.7 - 99.4	26	97.2	94.0 - 98.8	183
c. Gymnasium or other indoor physical activity facilities	94.7	82.5 - 98.5	43	99.1	94.6 - 99.8	117	100.0	†	26	98.2	95.0 - 99.3	186
d. Outdoor physical activity facilities or sports fields	94.4	81.7 - 98.5	44	92.9	88.6 - 95.6	123	93.1	77.7 - 98.1	28	93.3	89.6 - 95.7	195
e. Hallways throughout the school	100.0	†	55	99.2	95.2 - 99.9	118	100.0	†	27	99.5	97.2 - 99.9	200

\*Among schools with that location.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

## ARIZONA

### 2024 School Health Profiles Report Weighted Principal Survey Results

36. Percentage of schools that have a full-time registered nurse who provides health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
43.9	34.9 - 53.3	54	50.9	43.5 - 58.4	124	41.3	27.6 - 56.6	29	47.6	42.2 - 53.1	207

## ARIZONA

### 2024 School Health Profiles Report Weighted Principal Survey Results

37. Percentage of schools that have a part-time registered nurse who provides health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
19.9	12.0 - 31.1	54	23.8	18.3 - 30.3	123	24.2	13.5 - 39.5	29	22.8	18.4 - 27.9	206

## ARIZONA

### 2024 School Health Profiles Report Weighted Principal Survey Results

38. Percentage of schools that have a school-based health center that offers health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
24.8	15.6 - 37.1	55	31.6	24.7 - 39.5	122	40.0	27.6 - 53.9	29	31.0	25.7 - 36.9	206

## ARIZONA

### 2024 School Health Profiles Report Weighted Principal Survey Results

39. Percentage of schools that provide the following services to students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. HIV testing	0.0	†	55	0.0	†	123	0.0	†	29	0.0	†	207
b. HIV treatment (ongoing medical care for persons living with HIV)	0.0	†	55	0.0	†	123	0.0	†	29	0.0	†	207
c. STI testing	1.8	0.3 - 9.9	55	0.0	†	123	0.0	†	29	0.5	0.1 - 2.8	207
d. STI treatment	1.8	0.3 - 9.9	55	0.0	†	123	0.0	†	29	0.5	0.1 - 2.8	207
e. Pregnancy testing	3.9	1.1 - 13.3	54	0.8	0.1 - 4.7	123	3.2	0.5 - 17.1	29	2.0	0.8 - 4.9	206
f. Provision of condoms	9.8	4.7 - 19.6	55	0.0	†	123	9.5	5.1 - 17.1	29	4.1	2.4 - 6.8	207
g. Provision of condom-compatible lubricants (i.e., water- or silicone-based)	3.4	0.9 - 11.2	55	0.0	†	123	0.0	†	29	0.9	0.3 - 3.1	207
h. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	3.7	1.0 - 12.2	55	0.0	†	123	0.0	†	29	1.0	0.3 - 3.4	207
i. Prenatal care	1.8	0.3 - 9.9	55	0.0	†	123	0.0	†	29	0.5	0.1 - 2.8	207
j. Human papillomavirus (HPV) vaccine administration	1.8	0.3 - 9.9	55	0.0	†	122	3.1	0.5 - 16.8	29	1.0	0.3 - 3.3	206
k. Assessment for alcohol or other drug use, abuse, or dependency	18.2	11.6 - 27.4	55	7.7	4.3 - 13.7	122	13.9	5.6 - 30.9	29	11.5	8.2 - 16.0	206

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

## ARIZONA

### 2024 School Health Profiles Report Weighted Principal Survey Results

39. Percentage of schools that provide the following services to students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
l. Tobacco-use cessation (e.g., individual or group counseling)	27.0	17.2 - 39.7	55	8.5	4.8 - 14.5	123	17.2	7.4 - 34.9	29	14.8	10.8 - 20.0	207
m. Daily medication administration for students with chronic health conditions (e.g., asthma, diabetes)	74.0	61.3 - 83.7	55	85.9	79.0 - 90.8	123	79.7	61.9 - 90.5	29	81.7	76.1 - 86.3	207
n. Stock rescue or "as needed" medication for any student experiencing a health emergency (e.g., asthma episode, severe allergic reaction, opioid overdose)	69.3	56.6 - 79.7	55	77.2	69.1 - 83.7	122	72.8	53.6 - 86.1	29	74.4	68.1 - 79.8	206
o. Case management for students with chronic health conditions (e.g., asthma, diabetes)	55.1	41.6 - 67.9	55	76.9	70.0 - 82.6	122	62.6	42.4 - 79.2	29	68.8	62.5 - 74.4	206

## ARIZONA

### 2024 School Health Profiles Report Weighted Principal Survey Results

40. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. HIV testing	21.9	13.3 - 33.9	54	10.4	6.2 - 17.0	119	33.0	20.0 - 49.3	29	17.0	12.8 - 22.3	202
b. HIV treatment (ongoing medical care for persons living with HIV)	21.9	13.3 - 33.9	54	8.6	4.9 - 14.8	119	33.0	20.0 - 49.3	29	16.0	12.0 - 21.1	202
c. HIV PEP (post-exposure prophylaxis for HIV—a course of medication given within 72 hours of possible exposure to HIV)	18.0	10.6 - 28.9	54	9.2	5.3 - 15.4	119	29.8	18.0 - 45.1	29	14.8	11.0 - 19.6	202
d. PrEP (pre-exposure prophylaxis for HIV—medication taken to prevent HIV infection for those at risk for HIV)	19.8	12.6 - 29.7	54	9.2	5.3 - 15.4	119	25.7	15.9 - 38.9	29	14.6	11.0 - 19.1	202
e. STI testing	21.9	13.3 - 33.9	54	9.5	5.5 - 15.8	119	33.0	20.0 - 49.3	29	16.5	12.4 - 21.6	202
f. STI treatment	21.9	13.3 - 33.9	54	7.7	4.2 - 13.6	119	33.0	20.0 - 49.3	29	15.5	11.5 - 20.4	202
g. Pregnancy testing	27.6	20.0 - 36.8	54	12.7	8.2 - 19.2	119	29.6	18.1 - 44.5	29	19.4	15.3 - 24.1	202
h. Provision of condoms	25.3	17.1 - 35.8	54	6.3	3.2 - 12.0	119	23.6	14.0 - 36.9	29	14.2	10.7 - 18.5	202
i. Provision of condom-compatible lubricants (i.e., water- or silicone-based)	21.9	13.3 - 33.9	54	6.3	3.2 - 12.0	119	20.3	12.2 - 32.0	29	12.7	9.2 - 17.3	202
j. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	23.5	15.0 - 34.8	54	7.1	3.8 - 13.0	119	20.3	12.2 - 32.0	29	13.6	10.1 - 18.2	202

## ARIZONA

### 2024 School Health Profiles Report Weighted Principal Survey Results

40. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
k. Prenatal care	30.7	21.9 - 41.0	54	10.5	6.2 - 17.2	119	26.4	16.1 - 40.1	29	18.5	14.4 - 23.3	202
l. Human papillomavirus (HPV) vaccine administration	28.9	19.7 - 40.3	54	12.6	7.9 - 19.5	119	30.9	19.4 - 45.3	29	19.9	15.5 - 25.1	202
m. Other vaccine administration (e.g., COVID-19, influenza)	36.3	25.3 - 48.8	54	45.3	37.4 - 53.5	118	37.8	25.8 - 51.4	29	41.7	35.8 - 47.8	201
n. Alcohol or other drug abuse treatment	43.5	34.2 - 53.3	54	37.2	29.7 - 45.3	121	44.0	29.5 - 59.7	29	39.9	34.4 - 45.8	204
o. Tobacco-use cessation (e.g., individual or group counseling)	38.0	28.9 - 48.1	54	34.4	26.8 - 42.8	120	33.7	22.6 - 47.0	29	35.2	29.8 - 41.1	203



## ARIZONA

### 2024 School Health Profiles Report Weighted Principal Survey Results

41. Percentage of schools that have a protocol that ensures students with a chronic condition that may require daily or emergency management (e.g., asthma, diabetes, food allergies) are enrolled in private, state, or federally funded insurance programs if eligible.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
59.3	47.7 - 70.0	54	53.0	45.3 - 60.5	122	57.4	41.5 - 71.9	29	55.4	49.5 - 61.1	205

## ARIZONA

### 2024 School Health Profiles Report Weighted Principal Survey Results

42. Percentage of schools that routinely use school records to identify and track students with a current diagnosis of the following chronic conditions.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Asthma	90.7	80.2 - 96.0	54	96.8	92.1 - 98.7	123	92.4	75.7 - 97.9	29	94.5	90.6 - 96.8	206
b. Food allergies	90.7	80.2 - 96.0	54	97.7	93.5 - 99.2	123	96.5	81.6 - 99.4	29	95.6	92.1 - 97.6	206
c. Diabetes	88.8	77.7 - 94.7	54	95.6	90.8 - 97.9	123	92.4	75.7 - 97.9	29	93.3	89.2 - 95.9	206
d. Epilepsy or seizure disorder	88.8	77.7 - 94.8	54	96.8	92.1 - 98.7	123	96.5	81.6 - 99.4	29	94.6	90.8 - 96.9	206
e. Obesity	31.7	22.9 - 42.2	54	26.4	19.5 - 34.6	120	24.0	11.6 - 43.3	29	27.5	22.2 - 33.5	203
f. Hypertension/high blood pressure	68.5	59.7 - 76.1	54	49.7	40.6 - 58.8	122	55.2	37.0 - 72.1	29	55.6	49.1 - 61.8	205
g. Oral health condition (e.g., abscess, tooth decay)	39.3	28.8 - 51.0	53	41.5	33.6 - 49.9	122	38.6	22.6 - 57.5	29	40.5	34.4 - 46.9	204

## ARIZONA

### 2024 School Health Profiles Report Weighted Principal Survey Results

43. Percentage of schools that provide referrals to any organizations or health care professionals not on school property for students diagnosed with or suspected to have the following chronic conditions.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Asthma	43.9	31.8 - 56.7	54	37.6	30.5 - 45.2	121	23.2	14.8 - 34.5	29	37.1	31.5 - 43.0	204
b. Food allergies	38.5	27.0 - 51.4	54	34.6	27.1 - 43.0	121	23.2	14.8 - 34.5	29	33.9	28.2 - 40.1	204
c. Diabetes	45.5	33.6 - 57.9	54	35.6	28.4 - 43.4	121	27.3	16.8 - 41.1	29	37.0	31.3 - 43.0	204
d. Epilepsy or seizure disorder	43.9	31.8 - 56.7	54	35.5	28.0 - 43.7	121	23.2	14.8 - 34.5	29	35.9	30.2 - 42.0	204
e. Obesity	23.9	15.2 - 35.6	54	26.2	19.8 - 33.8	121	16.3	8.7 - 28.5	29	24.1	19.3 - 29.6	204
f. Hypertension/high blood pressure	36.7	25.7 - 49.4	54	28.6	22.1 - 36.2	121	19.7	13.1 - 28.5	29	29.5	24.4 - 35.1	204
g. Oral health condition (e.g., abscess, tooth decay)	36.1	25.9 - 47.7	54	43.3	35.7 - 51.2	121	16.3	8.7 - 28.5	29	37.2	31.7 - 43.0	204

## ARIZONA

### 2024 School Health Profiles Report Weighted Principal Survey Results

44. Percentage of schools in which any staff received professional development on each of the following topics during the past two years.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Basic sexual health overview including community-specific information about STI, HIV, and unplanned pregnancy rates and prevention strategies	12.9	6.5 - 23.9	54	16.1	11.5 - 22.0	121	13.3	7.0 - 23.8	29	14.8	11.2 - 19.2	204
b. Sexual health services that adolescents should receive	10.7	5.2 - 21.0	54	14.8	10.2 - 21.0	121	16.5	8.7 - 29.1	29	14.0	10.4 - 18.5	204
c. Laws and policies related to adolescent sexual health services, such as minor consent for sexual health services	27.5	18.3 - 39.1	54	16.5	11.5 - 23.2	120	23.2	16.9 - 30.9	29	20.6	16.4 - 25.5	203
d. Importance of maintaining student confidentiality for sexual health services	43.6	33.1 - 54.7	54	28.0	21.6 - 35.4	121	51.3	38.5 - 64.1	29	35.8	30.6 - 41.3	204
e. How to create or use a student referral guide for sexual health services	12.7	6.5 - 23.3	54	5.6	2.7 - 11.3	120	9.8	3.4 - 25.5	29	8.2	5.2 - 12.6	203
f. How to make successful referrals of students to sexual health services	12.7	6.4 - 23.6	54	8.6	5.0 - 14.3	120	13.0	5.1 - 29.4	29	10.4	7.1 - 14.9	203
g. Best practices for adolescent sexual health services provision, such as making services youth-friendly	10.9	5.3 - 21.4	54	10.8	6.7 - 16.9	120	16.5	8.7 - 29.1	29	11.7	8.3 - 16.2	203
h. Ensuring sexual health services are inclusive of lesbian, gay, bisexual, transgender, queer, and questioning (LGBTQ) students	18.1	10.3 - 29.9	54	11.6	7.3 - 17.9	121	16.4	8.6 - 28.9	29	14.1	10.3 - 18.9	204

## ARIZONA

### 2024 School Health Profiles Report Weighted Principal Survey Results

45. Percentage of schools that provide the following mental health programs or services to students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Universal mental health promotion programs (e.g., Positive Behavioral Interventions and Supports, Social-Emotional Learning programs or supports)	76.8	64.8 - 85.7	55	88.2	82.2 - 92.3	121	73.7	57.3 - 85.4	29	82.9	77.8 - 87.0	205
b. Confidential mental health screening to identify students in need of services (e.g., students at risk of mental health disorders, students experiencing trauma)	61.1	48.0 - 72.8	54	47.9	40.7 - 55.2	121	63.0	44.5 - 78.4	29	53.8	47.7 - 59.8	204
c. School-wide trauma-informed practices (i.e., efforts to ensure that all students, including those affected by trauma, are experiencing social, emotional, and educational success)	76.9	65.3 - 85.6	55	80.9	73.4 - 86.6	121	76.5	62.1 - 86.6	29	79.1	73.6 - 83.8	205
d. Small, topic-focused counseling or therapeutic groups (e.g., cognitive behavioral therapy [CBT], pro-social skills, stress management)	58.2	44.4 - 70.9	55	67.0	59.7 - 73.5	121	69.6	55.5 - 80.8	29	65.0	59.0 - 70.5	205
e. Multitiered systems of support (MTSS) (i.e., providing comprehensive differentiated supports to support students' mental and behavioral health)	73.3	61.2 - 82.7	55	80.9	75.2 - 85.6	121	82.7	70.4 - 90.5	29	79.1	74.2 - 83.2	205

## ARIZONA

### 2024 School Health Profiles Report Weighted Principal Survey Results

46. Percentage of schools with set opportunities for students to check in on their emotions and connect with their peers and teacher.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
81.1	71.3 - 88.1	54	82.0	74.3 - 87.7	123	75.6	64.2 - 84.3	29	80.8	75.6 - 85.1	206

## ARIZONA

### 2024 School Health Profiles Report Weighted Principal Survey Results

47. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Provided parents with information to support parent-adolescent communication about sex	13.1	7.3 - 22.4	54	13.3	8.7 - 19.8	122	21.2	10.0 - 39.4	29	14.5	10.6 - 19.4	205
b. Provided parents with information to support parent-adolescent communication about mental and emotional health	65.9	52.8 - 76.9	54	54.5	46.2 - 62.6	122	67.4	51.6 - 80.0	29	59.5	53.2 - 65.5	205
c. Provided parents with information to support parent-adolescent communication about other topics (e.g., substance use)	60.8	48.7 - 71.6	54	54.2	46.5 - 61.7	122	52.5	35.1 - 69.3	29	55.7	49.6 - 61.7	205
d. Provided parents with information about how to monitor their teen (e.g., setting parental expectations, keeping track of their teen, responding when their teen breaks the rules)	47.9	35.9 - 60.1	54	50.2	42.7 - 57.7	122	45.6	29.6 - 62.6	29	48.9	42.8 - 55.0	205
e. Provided parents with information to support one-on-one time between adolescents and their health care providers	29.2	20.4 - 40.0	54	12.1	7.5 - 19.1	122	24.6	13.9 - 39.7	29	18.6	14.4 - 23.8	205
f. Provided parents with information about physical education and physical activity programs	41.2	28.9 - 54.8	54	50.2	42.7 - 57.8	122	60.1	43.3 - 74.8	29	49.3	43.2 - 55.5	205
g. Involved parents as school volunteers in physical education or physical activity programs	23.5	14.5 - 35.6	54	49.6	41.9 - 57.3	122	50.3	33.6 - 66.9	29	42.7	36.8 - 48.8	205
h. Linked parents and families to health services and programs in the community	66.3	52.0 - 78.2	54	71.1	63.2 - 77.8	121	70.9	56.3 - 82.2	29	69.8	63.5 - 75.3	204

## ARIZONA

### 2024 School Health Profiles Report Weighted Principal Survey Results

47. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
i. Provided disease-specific education for parents and families of students with chronic health conditions (e.g., asthma, diabetes)	21.8	13.9 - 32.6	54	26.6	20.0 - 34.4	122	38.6	23.4 - 56.4	29	27.1	21.9 - 33.0	205
j. Provided parents with information about before- or after-school programs available in the community	53.1	39.9 - 65.9	54	76.8	70.3 - 82.2	121	64.2	48.4 - 77.4	29	68.4	62.7 - 73.7	204
k. Provided parents with access to information about relevant portions of school Emergency Operations Plans (EOPs) or similar plans (e.g., reunification plans, upcoming drills, emergency communication methods)	61.9	50.8 - 71.8	54	66.8	59.2 - 73.6	121	66.7	48.2 - 81.2	29	65.4	59.5 - 70.9	204



## ARIZONA

### 2024 School Health Profiles Report Weighted Principal Survey Results

48. Percentage of schools that currently implement any of the following school-based positive youth development programs.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Service-learning programs, that is, community service designed to meet specific learning objectives	53.0	41.4 - 64.2	54	46.2	38.7 - 53.8	122	49.7	33.6 - 65.8	29	48.5	42.6 - 54.5	205
b. Mentoring programs, that is, programs in which family or community members serve as role models to students or mentor students	40.6	29.2 - 53.2	54	33.0	25.5 - 41.6	121	39.9	23.5 - 59.1	29	36.1	30.0 - 42.7	204

## ARIZONA

### 2024 School Health Profiles Report Weighted Principal Survey Results

49. Percentage of schools that currently connect students to any of the following community-based positive youth development programs.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Service-learning programs, that is, community service designed to meet specific learning objectives	63.9	53.3 - 73.2	54	32.1	24.5 - 40.7	123	48.9	33.6 - 64.4	29	43.1	37.3 - 49.2	206
b. Mentoring programs, that is, programs in which family or community members serve as role models to students or mentor students	45.8	34.3 - 57.7	55	26.0	19.3 - 34.2	122	41.6	25.8 - 59.3	29	33.8	28.1 - 40.0	206